



THE BRAND BEHIND EVERY RELIABLE ENGINE.

ENGINE OIL

LUBRICANTS

CARE PRODUCTS



Yamalube.com

YAMALUBE®

CHANGING THE GAME BY CHANGING THE OIL.

When it's all riding on the high performance and reliability of their Yamahas, racing's best rely on Yamalube.

It's the only oil "built around" the unique demands, operating characteristics and applications of Yamaha engines. Collaborating with Yamaha engine designers, our global oil engineers formulate each oil from scratch, to be engine- and application-specific. In other words, nothing enhances the performance or protects the advanced design of a Yamaha quite like Yamalube.



Professional rider with advanced skill depicted on a closed course.



LEAVING THE COMPETITION IN THE DUST FOR 50-PLUS YEARS.

The very first Yamaha motorcycle rolled off the line in 1955, and almost immediately won the Mount Fuji Ascent Race. At the time, this race was one of the industry's biggest showcases, and winning it established Yamaha as a serious competitor.

FORMULATING A WHOLE NEW LEVEL OF PERFORMANCE.

Back then, and for many years to follow, our engineers followed the common practice of recommending "off-the-shelf" oils. While extremely accessible, these oils weren't living up to our standards for performance or protection, and in some cases, actually compromised engine life.

So, with 20 years of racing and countless wins behind us, Yamaha set off to conquer a new arena—racing oil. Our engineers took their rich knowledge of the demands and operating characteristics of racing engines, and formulated an oil specifically to protect and enhance the performance of our two stroke competition engines—Yamalube 2R. For decades, 2R has been the choice of champions, from the mid-seventies to the mid-nineties and from top MotoGP® and AMA® racers to Supercross riders.

RIDING ALONG WITH RACING'S BEST.

Yamalube 2R still makes the rounds on the professional track. However, today's riders, from pros to enthusiasts, have a full line of four stroke oils to choose from. Options go all the way up to our high-performance, proven race-winner, 15W-30 full-synthetic oil fortified with ester.



Yamalube Racing	2-3
Yamalube Standards	4-9
Why Choose Yamalube?	10-11
15W-30 FS & 15W-50 FS	12-13
Sport Bike Showcase	14-15
0W-40 FS & 0W-30 SS	16-17
Snowmobile Showcase	18-19
10W-50 SS & 20W-50 SS	20-21
Motorcycle Showcase	22-23
5W-40 SS & 5W-30 Utility	24-25
ATV Showcase	26-27
10W-40 AP & 20W-50 AP	28-29
2S & 2R	30-31
2W & 4W	32-33
Watercraft Showcase	34-35
NMMA® FC-W® Certification	36
5W-30 4M	37
4M & 2M	38-39
Marine Showcase	40-41
10W-30 AP Golf Car & Generator	42-43
Golf Car Showcase	44-45
Oil Change Kits	46-50
Chemical Categories	51
Lubricants & Greases	52-55
Detailing Kits	56
Polishes & Protectants	57
Cleaners & Degreasers	58-59
Detailing Supplies	60-61
Maintenance Products	62-64
Pumps & Containers	65
Tire & Trailer Products	66-67
Performance Additives	68-70
Suspension Oil	71
Yamabond® Adhesives	72
Loctite® Products	73
Service Manuals	74-75



Ask for Yamalube in the Diamond-Plate Bottle Design®



Scan to see why the pros trust Yamalube.

Message and data rates may apply. May not be available on all devices. QR Code is a registered trademark of Denso Wave Inc.

YAMALUBE®

Think your bike likes the same oil used in minivans?

Motorsports engines run at higher rpm, higher temperatures and deliver more power per cylinder displacement than 99 percent of car engines. Plus, over the years, levels of friction modifier additives have increased in automotive oils, which is good for car efficiency, but bad news for motorcycle clutches that require some friction to operate.




Yamalube® Standards




Motorcycles

All-in-one oil provides lubricity for engine, transmission and clutch.
Typical Operating Range = 6000-14000 rpm



Automotive

Engine and transmission are lubricated with different, very specific oils.
Typical Operating Range = 700-3500 rpm



Yamalube Means Performance

Automotive & Motorcycle Comparison

	JASO MA	API Rating	Yamalube
WET CLUTCH TEST			
Dynamic Friction	≥1.45 - <2.50	not tested	PASS
Static Friction	≥1.15 - <2.50	not tested	PASS
Stop Time	≥1.55 - <2.50	not tested	PASS
CCS VISCOSITY			
5W	6600 max	PASS	PASS
10W	7000 max	PASS	PASS
20W	9500 max	PASS	PASS
FOAMING TENDENCY			
Seq I	10/0 max	PASS	PASS
Seq II	50/0 max	PASS	PASS
Seq III	10/0 max	PASS	PASS
FRICITION PROTECTION			
xW-30	9.0 min	not tested	*Exceeds
xW-40	12.0 min	not tested	*Exceeds
xW-50	15.0 min	not tested	PASS
HTHS	2.9 min	PASS	*Exceeds
Sulfated Ash	1.2% mass	not tested	*Exceeds
Phosphorus Content	0.08 min-0.12 max	FAIL	*Exceeds
Evaporative Loss	20% max	PASS	*Exceeds

* Means Yamalube Standards Exceed JASO MA Standards

Welcome to JASO 101.

Over the years, oil manufacturers have had to reduce the levels of zinc, phosphorous and other extreme pressure additives, due to the potential harmful effects they have on component longevity. Under pressure from automakers, they've also added friction modifiers while reducing viscosity grades, to pace increased emission warranty coverage periods. While these modifications have helped to offset cars' reduced mpg due to reformulated fuels, they've also had the negative effect of reducing gear and clutch durability and performance of four stroke motorcycle engines and transmissions.

Not All JASO MA Certified Formulations are Created Equal.

JASO MA is a universal, motorcycle industry oil specification that sets acceptable limits for things like phosphorous, sulphated ash and oil volatility. Oil manufacturers need to meet these specifications in order to achieve JASO MA certification. Unfortunately, in order to meet these specifications, many oil manufacturers will take an existing oil formulation and modify it just enough to qualify for certification—allowing them to maximize profits.

In sharp contrast, Yamaha engineers start with an engine, look at its performance demands, measure those against the JASO MA specifications and formulate an oil that meets or exceeds all requirements. This ensures Yamalube JASO MA certified oils provide maximum protection for Yamaha engines, while still meeting JASO standards. It's also in the best interest of our customers, who have come to expect high performance and reliability from Yamaha.

YAMALUBE & JASO

JASO MA

Since 1998, the Japanese Automotive Standards Organization (JASO) has measured the quality of four stroke motorcycle engine oil. Oils that are JASO MA certified resist clutch slippage, do not leave ashy deposits and meet their anti-corrosion and wear standards.


All Yamalube motorcycle oils currently meet or exceed these very important standards for performance. Look for the JASO MA symbol on their bottles.

M081YMC547

MA

The JASO MA certification is for high-friction applications, such as motorcycles.

POWER SPORT OIL NEEDS



High "Shear Stability"

Oil lubricates the engine as well as the transmission gears. The oils used in these applications must be extremely stable against shear.



High "Oil Film Retention"

Oil is regularly used under high rpm and high-load conditions. Therefore, the oil viscosity deteriorates resulting in a shrinking oil film that could cause engine troubles. The oil must maintain viscosity and have advanced additives for oil film retention.



High "Oxidation & Thermal Stability"

Motorsport oil must withstand harsh thermal conditions in order to properly and effectively lubricate the engine and transmission. It must be resilient against oil volatility, which is the loss of oil from thermal oxidation and low evaporation properties.



With or Without "Friction Modifier"

Automotive oils use friction modifiers to help offset a portion of the fuel economy lost by mandated reformulated gasoline. These friction modifiers are detrimental to the motorcycle clutch performance and longevity.

YAMALUBE®

JASO-Certified Yamalube oil formulations include full-synthetic, semi-synthetic and performance all purpose.*

Yamalube oils are formulated to meet or exceed industry standards, with some of the lowest levels of sulphated ash and phosphorus content on the market. That means less build-up, corrosion and wear and tear on your engine—keeping maintenance and ownership costs low and consumer satisfaction high.



Yamalube Standards



Professional rider with advanced skill depicted on a closed course.



Sulphated ash deposits shorten engine life and foul spark plugs. Yamalube formulas use high quality, advanced additive packages that minimize ash deposits. As a result, our sulphated ash levels are far below those of our competitors and the JASO MA maximum.



High Deposit Level



Low Deposit Level





High levels of phosphorus have been shown to damage oxygen sensors and poison catalytic converters. Yamalube formulas feature up to 600 fewer parts per million (ppm) of phosphorus than some competitors and are 400 ppm lower than JASO MA maximum.

What is Volatility?

Motorcycles, especially competition bikes, run at high rpm and high temperatures. The last thing you need is oil evaporation endangering the performance and life of your engine. For critical protection at high temperatures, choose a low-volatility oil. Volatility refers to an oil's propensity for evaporation at high temperatures. The lower an oil's volatility, the less it evaporates and the better protection it provides.

Yamalube 5W-30 and 10W-40 have far and away the lowest oil volatility and highest quality base oils on the market. What does this mean for a rider? It means reduced oil consumption between oil changes, lower emissions and enhanced fuel efficiency. These Yamalube formulations are well below the JASO maximums; they also leave our competitors in the dust.

All Purpose Oil Low Oil Volatility:



YAMALUBE BENEFITS

- ✓ Cleaner Engine
- ✓ Better Acceleration
- ✓ Smoother Shifting
- ✓ Gear Protection
- ✓ No Clutch Slippage
- ✓ Shift Feeling



Yamaha is committed to a cleaner environment.

Our Yamalube oils meet or exceed industry environmental standards—containing low levels of phosphorus.

*Marine and watercraft oils are not JASO-Certified.

**Chart Source Data supplied by JX Nippon Oil and Energy USA, Inc. 3/2009.

YAMALUBE®

Before it's put into the diamond-plate bottle, it's put to the test.

The Japanese Automotive Standards Organization (JASO) sets worldwide specifications for acceptable motorcycle oil. Yamalube aims to exceed these standards by building each formula from scratch and subjecting our oils to even tougher testing than JASO requires. Check out the test results and you'll see that our full line of motorcycle oils aren't just JASO-MA certified; they provide the highest quality protection you can buy for your bike.




Yamalube® Standards



Professional rider with advanced skill depicted on a closed course.


10W-40 All Purpose

A cold start in cool conditions is when an engine can suffer the most wear and tear. JASO has set the MA standard for maximum viscosity at 7,000 cP, but the lower the cP number the better. At 5,000 cP, Yamalube 10W-40 AP offers the best low-temperature pumpability and protection on the market.




Evaporation loss thickens oil, reducing lubrication, increasing wear and decreasing fuel economy. This test measures the ability to maintain viscosity and provide proper lubrication under high temperatures. The lower the oil's evaporation loss percentage, the better its protection. The JASO-MA standard for maximum evaporation loss is 20 percent. Yamaha's standard is 13 percent, and in testing, 10W-40 AP came in at 12 percent.

Chart Source Data supplied by JX Nippon Oil and Energy USA, Inc. 1/2010.




10W-50 Semi-Synthetic

Every oil contains sulfated ash. These deposits are left behind when oil burns off. The lower the oil's percentage the fewer deposits are left and the cleaner and more efficient your engine will be. The JASO-MA standard for maximum sulfated ash is 1.2 percent. Yamaha's standard is a 1.0 percent max. Our 10W-50 Semi-Synthetic comes in at 0.6 percent, well below the competition.




This test measures the ability to maintain viscosity in high-temperature and high-shear conditions. Under severe conditions, the JASO-MA standard is a minimum 2.9 cP viscosity. However, Yamaha's standard is 3.0, and our 10W-50 SS maintains a viscosity of almost 5—nearly twice that of most of our competitors.

Chart Source Data supplied by JX Nippon Oil and Energy USA, Inc. 8/2010.




20W-50 All Purpose



This test clamps three metal balls together, covers them in a test lubricant and rotates a fourth metal ball over them. After 15 minutes, the scar left by the friction is measured in millimeters. The less scarring, the better the protection. To rate oils, JASO runs this test for 15 minutes at 1800 rpm. However, the greatest loss occurs after 15 minutes; so Yamalube tests for 30. Here's where we stacked up next to the competition.

Chart Source Data supplied by JX Nippon Oil and Energy USA, Inc. 1/2010.

20W-50 Semi-Synthetic



Companies put phosphorus in oil to protect against wear and friction, but this additive is the leading cause of catalyst poisoning. This leads to increased pollution, and depending where you live, costly repairs to pass emission tests. JASO's acceptable range for phosphorus levels is between 800 and 1,200 ppm. To protect the environment, and your catalyst and engine, Yamalube uses a mix of phosphorous and ester. While ester is a more expensive additive, it allows us to reduce friction and wear while keeping phosphorus levels low. In the case of our 20W-50 SS—phosphorous is at just 800 ppm.

Chart Source Data supplied by JX Nippon Oil and Energy USA, Inc. 8/2010.

YAMALUBE STANDARDS

Modern Chemistry Meets Maximum Value

Many companies simply tweak existing formulas in order to meet JASO-MA standards. While they may pass the tests, you'll be able to tell the difference in the long run. Your engine may not run as efficiently. You may need to add oil between changes. Or, worst-case scenario, your bike may live in the shop.

The thing is, you bought a motorcycle because you enjoy riding—and mile for mile—using Yamalube will ensure you're getting the maximum return on that investment.

Using the latest in modern chemistry, Yamalube oils are formulated from scratch, not simply to meet JASO-MA standards, but rather to exceed them. Yamalube's standards for motorcycle oil are even higher than the industry standard; so if JASO tests for 15 minutes, we test for 30. If their acceptable maximum is at 20 percent, we strive for 13. Why are we so much harder on our oil? Why do we expect so much more? Because our riders do.


They expect long, exhilarating runs, low ownership costs and years of uninterrupted riding time. That's exactly what they'll find inside every diamond-plate Yamalube bottle.

What oil viscosity should I use?
Yamalube has a full range to choose from.

YAMALUBE®

There's a Yamalube for every application.

Ask for Yamalube in the Diamond-Plate Bottle Design®



Why Choose Yamalube?



YAMALUBE VISCOSITY

Classification of SAE® Viscosity

The worldwide standard for selecting oil viscosity was established by the Society of Automotive Engineers (SAE®). Viscosity is a fluid's resistance to flow, and as the numbers increase, so does the viscosity. To maintain viscosity in harsh conditions, under heavy load and high revolutions, Yamaha starts with high quality base oils and fortifies them with carefully selected and measured additives.

Replacement Viscosities

If your owner's manual calls for an oil that is not in the new Yamalube lineup, please refer to the following replacement oils:

Replacement Viscosities for Motorcycles

Old Viscosity (To Dec 2007)	New Viscosity (Jan 2008 - Present)
10W-30	10W-40
20W-40	20W-50



Scan for oil selection tips from Yamalube experts.

Message and data rates may apply. May not be available on all devices. QR Code is a registered trademark of Denso Wave Inc.

15W-30
Full-Synthetic



- Reduced Vibration
- Smooth Shifting
- Full-Synthetic
- Ester Fortified
- Clean Formulation
- Exceeds JASO MA
- No Clutch Slippage
- Anti-Corrosion
- Catalyst Protection
- Gear Protection
- Racing Performance

1 Quart Bottles (Qty. 12*) **LUB-15W30-FS-12**

*Dealer order pack quantities shown - available individually from your dealer.



Professional rider with advanced skill depicted on a closed course.

Yamalube 15W-30 Racing Full-Synthetic with Ester (JASO MA)

This high-performance oil is for racing and performance enthusiasts. Shear stability, maximum lubrication and high thermal resistance gives you the very best protection during the harsh extremes of racing.

YAMALUBE® 15W-30

Ester

The highest grade of lubricants are known as esters. These lubricants are fully synthetic and provide fast start-up and unequalled lubricity that bonds with metal engine components to create a shield against wear.

JASO MA

This oil meets or exceeds the requirements of JASO MA. MA certification ensures the oil will not cause clutch slippage, includes minimal ash and meets anti-corrosion and wear standards.

Super Clean

On top of the JASO MA requirements, Yamaha opted for the most advanced additives for this oil. Unlike many automotive oils, 15W-30 minimizes carbon and sulfated ash deposits.

Racing

Designed for track use and the rigors of racing where high rpm and heat can take a serious toll on your engine.



Yamalube 15W-50 Full-Synthetic with Ester (JASO MA)

This is our best performance oil for motorcycles, ATVs and Side x Sides. It's blended with ester-fortified synthetic base oils to provide the best protection you can buy for your Yamaha.

YAMALUBE® 15W-50

Ester

Esters are the highest grade of lubricants. They are fully synthetic and provide unparalleled lubricity that bonds with metal engine components to create a shield against wear.

JASO MA

This oil meets or exceeds JASO MA requirements. This ensures the oil will not cause clutch slippage or leave ashy deposits and meets anti-corrosion and wear standards.

Super Clean

In addition to the JASO MA requirements, Yamaha chose the most advanced additives for this oil. Unlike many automotive oils, these additives don't leave residues or ash.

Performance Oil

Uniquely formulated to provide performance and protection on track, trail or street. You'll notice a quieter ride and smoother operation and shifting.

15W-50
Full-Synthetic



- Reduced Vibration
- Smooth Shifting
- Full-Synthetic
- Contains Ester
- Clean Formulation
- Exceeds JASO MA
- No Clutch Slippage
- Anti-Corrosion
- Catalyst Protection
- Gear Protection

1 Quart Bottles (Qty. 12*) **LUB-15W50-FS-12**
55 Gallon Drum **LUB-15W50-FS-55**

*Dealer order pack quantities shown - available individually from your dealer.

YAMALUBE®

Under this sleek exterior revs the heart of a high-performance Yamaha.

Whether you're shooting down empty stretches of country road or taking the turns at a local track day, ride smart. Rely on quality Yamalube Care Products.

YAMAHA
GENUINE
Parts & Accessories

Full-throttle performance.

Yamalube Care Products for Sport Bikes



Lubricants & Care Products



Professional rider with advanced skill depicted on a closed course.

SPORT BIKE CARE

Better for Your Yamaha

Industry-leading sport bike innovation demands smarter oil. Finer products. The kind of protection that can only come from the inside—from the same Yamaha team that designed your Yamaha.

Better Lubrication

Formulated to Yamaha's unrelenting standards for quality, Yamalube motorcycle oil formulations are non-friction-modified, delivering high-performance lubrication while preventing clutch slippage in racing bikes.

Better Protection

A high-performance engine demands an oil that can resist thermal breakdown in extreme temperatures. An oil that will minimize frictional losses, protect from ring wear and piston scuffing and improve overall performance. It demands Yamalube.




A On-Road Chain Lube
Advanced "white graphite" lubricant for superior chain protection.



B Fuel Med RX
Helps keep fuel fresh and potent.



C 15W-50 Full-Syn Oil
This high-performance oil provides flawless protection and performance.



D Engine Med RX
Removes carbon and protects fuel system metals.



E Yamaclean® Pro-Wash Spray
Removes dirt, grime and brake dust. Used by Yamaha race teams.



F Yamacool® Protects down to -62°F. Pre-blended and ready to use.

OW-40
Full-Synthetic



- Full-Synthetic
- Ester Fortified
- Easy Cold Starting in Extreme Cold
- Anti-Corrosion & Water Shedding
- Clean Formulation
- Performs in -60°F
- Resists Heat Under Extremely High RPM
- Smoother Throttle Response

1 Quart Bottles (Qty. 12*) **LUB-OOW40-FS-12**

*Dealer order pack quantities shown - available individually from your dealer.



Yamalube OW-40 Full-Synthetic with Ester

Yamalube OW-40 is for racing and performance enthusiasts. Shear stability, maximum lubrication, and high thermal resistance gives you the very best protection during the harsh extremes of high performance riding and racing applications.

YAMALUBE® OW-40

Ester

The highest grade of lubricants are known as esters. These lubricants are fully synthetic and provide unequalled lubricity that bonds with metal engine components to create a shield against wear.

Durability

Designed to deliver the best possible performance for all four stroke snowmobiles. It provides easy starts at extremely low temperatures, fast flow on startup, and a high level of corrosion protection and water shedding capabilities.

Performance

Features cold temperature pumpability down to -60°F (-51°C), perfect for cold morning starts. Resists thermal breakdown under extremely high rpm and load conditions providing high performance and durability even while racing.

Yamalube OW-30 Semi-Synthetic for Snowmobiles

Yamalube OW-30 was designed from synthetic and mineral base stocks to provide excellent cold-weather performance for all Yamaha Snowmobiles. Rated down to -40°F (-40°C).

YAMALUBE® OW-30


Multi-Grade Oil

This gives extra protection during the critical cold-start period where a large part of an engine's wear could occur. It also allows faster starting than any conventional SAE 5W or SAE 10W grade oil could provide.

Special Cold-Weather Additive Package

The additive package not found in common motor oils. Yamalube OW-30 provides optimum low-temperature pumpability down to -40°F (-40°C). This oil has passed rigorous testing—in fact, it's so good that even our factory engineers now recommend it for Yamaha snowmobile models that specify 5W-30. Expect the same legendary Yamalube protection on the trail or lake, with even better protection during start-up in extreme cold.

OW-30
Semi-Synthetic



- Semi-Synthetic
- Easy Cold Starting
- Clean Formulation
- Shear Stable
- Performs in -40°F
- Anti-Corrosion
- Resists Heat
- Smoother Throttle

1 Quart Bottles (Qty. 12*) **LUB-OOW30-SS-12**
55 Gallon Drum **LUB-OOW30-SS-55**

*Dealer order pack quantities shown - available individually from your dealer.

YAMALUBE®

Yamalube makes the best even better.

It's 5 o'clock in the morning. It's negative thirteen frostbiting degrees. The sun's not even ready to go. But your Yamaha sled? That's a whole different story, thanks to superior engineering and Yamalube.



Peak performance meets peace of mind.

Yamalube Care Products for Snowmobiles



Lubricants & Care Products



SNOWMOBILE CARE

Better for Your Yamaha

Yamalube SAE 0W-40 and 0W-30 are the only oils that our team of Yamaha Snowmobile Engineers recommends for our full line of snowmobiles.

Better Engine Lubrication

Our premium full-synthetic and semi-synthetic blends feature a cold-weather additive package formulated specifically for the harsh operating conditions of snowmobiles.

Better Extreme Cold Protection

Yamalube helps deliver instant cold-weather starts and easy cranking, and has excellent flow that protects in temperatures as low as -60°F (-51°C).




A
Snowmobile High Performance Suspension Grease Low-temp protection to -65°F.



B
Fuel Med RX Helps keep fuel fresh and potent.



C
Snowmobile Chain Case Lube Withstands extreme temperatures and harsh operating conditions



D
Engine Med RX Removes carbon and protects fuel system metals.




E
0W-40 Full-Syn Oil Corrosion protection and easy starts down to -60°F.



F
Yamacool® Protects down to -62°F. Pre-blended and ready to use.

10W-50
Semi-Synthetic



- Semi-Synthetic
- Performance Blend
- Clean Formulation
- Exceeds JASO MA
- Anti-Corrosion
- Catalyst Protection
- Gear Protection

1 Quart Bottles (Qty. 12*)
1 Gallon Bottles (Qty. 4*)
55 Gallon Drum

LUB-10W50-SS-12
LUB-10W50-SS-04
LUB-10W50-SS-55

*Dealer order pack quantities shown - available individually from your dealer.



Yamalube 10W-50 Semi-Synthetic for Sport (JASO MA)

Oil specially blended from both synthetic and mineral base stocks to provide high performance in sport applications. All the benefits of a light oil and all the protection of a heavier weight.

YAMALUBE® 10W-50

Extreme High-Performance Formula

Yamalube 10W-50 is formulated to handle the high stress found in high-performance engines. Its exclusive blend of oils and additives minimizes frictional losses for higher performance, while providing critical protection against ring wear and piston scuffing. It also resists thermal breakdown, a critical consideration in an extreme-temperature engine environment.

Race Proven

Yamalube 10W-50 is race-inspired lubrication technology. On-track or off, Yamalube protects gears, provides improved throttle response and acceleration shifting and delivers a smoother ride. Get all of the power to the ground with Yamalube's anti-clutch-slippage technology.



Yamalube 20W-50 Semi-Synthetic for Cruisers (JASO MA)

Reduced friction and stable clutch performance make this oil just what you need for long, enjoyable rides in warmer climates.

YAMALUBE® 20W-50

Smooth Power

Yamalube 20W-50 semi-synthetic was blended for the high power and torque produced by Star® Motorcycles, as well as the new generation of four stroke engines. Expect smooth shifts, smooth power and an even smoother ride.

Protection

Whether for pleasure or commuting, engines need protection from the environment and its impurities. You'll find that protection (and more) in our semi-synthetic 20W-50 engine oil. Nothing protects your engine better than Yamalube.

20W-50
Semi-Synthetic



- Semi-Synthetic
- Performance Blend
- Clean Formulation
- Exceeds JASO MA
- Smooth Shifting
- Anti-Corrosion
- Protects Catalyst
- Gear Protection
- Heat-Resistant

1 Quart Bottles (Qty. 12*)
55 Gallon Drum

LUB-20W50-SS-12
LUB-20W50-SS-55

*Dealer order pack quantities shown - available individually from your dealer.

YAMALUBE®

Long live your ride.

Open sky. Endless stretches of road. Miles from civilization. Just you, your bike and the complete confidence of knowing that Yamalube is coursing through your V-twin. Standing guard against corrosion and wear so you can sit back and enjoy the ride.



Give your baby the star treatment.


Yamalube Care Products for Motorcycles



A Spray Polish & Instant Detailer Repels dirt and shines paint, chrome, glass and smooth plastics.



B Friction Modified Shaft Drive Gear Oil Formulated for final drives and standard differentials.*




C Engine Med RX Removes carbon and protects fuel system metals.



D 20W-50 Semi-Syn Oil Special cruiser blend for smooth shifting and clutch engagement.



E Fuel Med RX Helps keep fuel fresh and potent.



F Windshield & Visor Plastic Cleaner & Conditioner Removes oils, grease and bug spatter.

Lubricants & Care Products



MOTORCYCLE CARE

Smooth Power

Yamalube semi-synthetic oils are blended for the high power and torque produced by next-generation four stroke engines. Expect smooth shifts, smooth power and an even smoother ride.

Better Lubrication

Yamalube formulations exceed JASO MA specifications. They're non-friction-modified to prevent clutch slippage in motorcycles, while still providing high-performance lubrication. Yamalube also reduces vibration to improve ride comfort and reduces friction to lower head temperatures.

Better Protection

Yamalube features more performance additives than typical oils—additives that protect against the corrosion, varnish and wear associated with recreational use.

*Not applicable on all models

5W-40
Semi-Synthetic



- Semi-Synthetic
- Performance Blend
- Clean Formulation
- Contains Moly
- Easy Starting
- Anti-Corrosion
- Performs in -40°F
- All-Season

1 Quart Bottles (Qty. 12*) LUB-O5W40-SS-12

*Dealer order pack quantities shown - available individually from your dealer.



Yamalube 5W-40
Semi-Synthetic for Utility

Oil specially blended from synthetic and mineral base stocks to protect in utility ATV and Side x Side applications where low speed hauling and climbing really stress the engine's oil to the extreme.

YAMALUBE® 5W-40

Extreme Performance

Yamaha 5W-40 was formulated specifically for utility ATVs and Side x Sides by the team that knows them inside and out. Yamaha. This oil is built to handle grueling off-road conditions and keep your rugged, reliable Yamaha going strong.

Superior Additives

Formulated to Yamaha's unrelenting standards for quality, Yamalube contains more performance additives than typical oils. They fight corrosion, varnish and wear, reduce friction, rev up performance and extend engine life.

All-Weather Performance

A rugged Yamaha ATV or Side x Side stands up to punishing subzero temperatures, the rigors of farm work and rough terrain. Its oil should be just as tough. This semi-synthetic formula provides optimum, low-temperature pumpability down to -40°F (-40°C) and protection during cold starts.

Yamalube 5W-30
All Purpose for Utility

A specially blended mineral base with a robust, high-performance additive package, 5W-30 is designed to provide peak protection down to subzero temperatures.

YAMALUBE® 5W-30

Utility Performance

This performance-blended oil was created with utility ATVs and Side x Sides in mind. An extremely clean additive package provides all-weather performance and film strength to protect your engine from heavy load and heavy torque.

Performance Additives

Yamalube 5W-30 Utility Performance contains more performance additives than typical oils. These additives fight corrosion, varnish and wear. As a result, this oil provides low friction, high performance and longer engine life.

Cold-Weather Formula

Available in the precise 5W-30 viscosity the factory recommends for your ATV or Side x Side used in below-freezing conditions. The cold-weather formula provides low-temperature pumpability down to -20°F (-29°C). Your engine will start more easily, even on extremely cold mornings, and you'll notice a difference in its performance.

5W-30
Utility Oil



- Ultra-Tough Formula
- Ultra-Clean Additives
- Cold Weather Performance
- Performs in -20°F

1 Quart Bottles (Qty. 12*) LUB-O5W30-AP-12

*Dealer order pack quantities shown - available individually from your dealer.

YAMALUBE®

Take on any terrain with just one oil. Yamalube.

Tough trails and dense woods can be explored with confidence thanks to Yamalube's blend of performance and protection.

YAMAHA
GENUINE
Parts & Accessories

Even a Grizzly® needs a little TLC.

Yamalube Care Products for ATVs



Lubricants & Care Products



Grizzly® 700 EPS is recommended for use only by riders age 16 years and older.

ATV CARE

Yamalube Performance

Yamalube oils are performance blended with high quality base oils for use in your Yamaha ATV. They provide high film strength to protect your engine from the wear and tear of daily use.

Better for Your Yamaha

Yamalube Semi-Synthetic and Performance All Purpose oils are designed to perform in your ATV or Side x Side year round. From Performance Semi-Synthetic 5W-40 to Utility Performance 5W-30 and All-Purpose Performance 10W-40 and 20W-50, Yamalube has you covered.

Better Lubrication & Protection

You depend on your ATV or Side x Side to get you where you're going no matter what. Adding Yamalube will ensure that your ATV or Side x Side will be up to the task, year after year.



A
Friction Modified Shaft Drive Gear Oil For sealed wet brake final drives and standard differentials.



B
Biodegradable Foam Air Filter Oil Non-alcohol-based filter oil.



C
5W-40 Semi-Syn Oil All-season lubrication with cold-start protection down to -40°F.



D
Fuel Med RX Helps keeps fuel fresh and potent.




E
External Engine Cleaner & Degreaser Cleans rubber, plastic and painted metal surfaces.



F
Engine Med RX Removes carbon and protects fuel system metals.

10W-40
All Purpose Oil



- Exceeds JASO MA
- High-Quality General Use Oil
- Year-Round Applications
- Ultra-Clean Additives
- High-Performance Mineral

1 Quart Bottles (Qty. 12*)
1 Gallon Bottles (Qty. 4*)
55 Gallon Drum

LUB-10W40-AP-12
LUB-10W40-AP-04
LUB-10W40-AP-55

*Dealer order pack quantities shown - available individually from your dealer.



Yamalube 10W-40
All Purpose Oil

A high-performance, general-use, mineral base oil, 10W-40 has an advanced additive package that features superior anti-frictional properties.

YAMALUBE® 10W-40

Year-Round Performance for Land Products

Yamalube 10W-40 includes high quality mineral base stocks for use in motorcycles, ATVs, Side x Sides and scooters. It provides stable clutch performance and film strength protecting your engine from the wear and tear of daily use.

Exceptional Protection

Yamaha set out to blend factory-approved engine oils with mineral base stocks that were everything but conventional. Excellent protection and technologically superior additives make this oil exceptional.

The Right Viscosity

Yamalube Performance All Purpose oils are available in the precise multi-grade viscosity the factory recommends for your four stroke Yamaha. Each Yamalube Performance All Purpose formula meets or exceeds all factory requirements.



Yamalube 20W-50
All Purpose Oil

A top-tier mineral oil, 20W-50 is formulated to provide maximum anti-wear and shear stability protection in warm climates.

YAMALUBE® 20W-50

Warm Climate Performance for Land Products

Yamalube 20W-50 protects your motorcycle, ATV, Side x Side or scooter engine from the wear and tear of daily use—especially in hot temperatures. It's specifically formulated to maintain factory-recommended viscosity in warm climates, and includes high-quality mineral base stocks for stable clutch performance and film strength.

Motorsport Oil

Yamaha blends factory-approved engine oils with mineral base stocks and technologically superior additives, resulting in exceptional protection.

Correct Viscosities for Each Application

All Purpose doesn't mean one-size-fits-all. Yamalube Performance All Purpose oils are available in precise multi-grade viscosities to meet or exceed factory recommendations for each four stroke engine and its application and environment.

20W-50
All Purpose Oil




- Warmer Climate Applications
- Exceeds JASO MA
- High-Performance Mineral
- Ultra-Clean Additives

1 Quart Bottles (Qty. 12*)
1 Gallon Bottles (Qty. 4*)
55 Gallon Drum

LUB-20W50-AP-12
LUB-20W50-AP-04
LUB-20W50-AP-55

*Dealer order pack quantities shown - available individually from your dealer.

Yamalube 2S
Two Stroke Oil



- All-Season Performance
- Synthetic Blend
- Greatly Reduced Visible Smoke

1 Quart Bottles (Qty. 12*) LUB-2STRK-S1-12
1 Gallon Bottles (Qty. 4*) LUB-2STRK-S1-O4

*Dealer order pack quantities shown - available individually from your dealer.



Yamalube 2S
Two Stroke Oil

A high-quality, all-season, two stroke formula, 2S delivers maximum protection and performance, year round.

YAMALUBE® 2S

All-Performance Two Stroke Oil

A technologically advanced semi-synthetic base stock and additive system provides all-season performance and greatly reduced visible smoke.

Low Deposits

Special synthetic additives significantly reduce carbon and varnish deposit buildup. That means longer engine life and greater performance over time.

All-Weather Performance

2S provides exceptional lubrication in all temperatures. A special additive maintains flow and prevents "gelling" in sub-freezing conditions, making it especially effective in snowmobiles.



ATVs over 90cc are recommended for use only by riders age 16 years and older.

Yamalube 2R
Two Stroke Oil

A high-performance, two stroke blend, 2R reduces friction and stands up to the high temperatures and rigorous demands of a competition engine.

YAMALUBE® 2R

Competition Two Stroke Oil

Developed to meet the requirements of competition Supercross and Motocross. For years, it's been the oil of choice in two stroke motorsports racing.

Class-Leading Lubrication

A special base stock protects from wear and breakdown, reduces friction and allows for maximum horsepower.

Low Deposits

Special, synthetic additives reduce carbon and deposit build-up on pistons, rings and exhaust ports, for maximum horsepower and minimum wear.

Yamalube 2R
Two Stroke Oil



- Greatly Reduced Visible Smoke
- Competition Grade

1 Pint Bottles (Qty. 24*) LUB-2STRK-R1-24
1 Quart Bottles (Qty. 12*) LUB-2STRK-R1-12

*Dealer order pack quantities shown - available individually from your dealer.

Yamalube 2W
Two Stroke Oil



- Strong Anti-Wear Package
- Catalyst Protection
- Greatly Reduced Visible Smoke
- Synthetic Blend

1 Quart Bottles (Qty. 12*)
1 Gallon Bottles (Qty. 4*)

LUB-2STRK-W1-12
LUB-2STRK-W1-04

*Dealer order pack quantities shown - available individually from your dealer.



Yamalube 2W
Two Stroke Oil for Watercraft

Formulated for watercraft engines, our 2W two stroke blend provides excellent anti-wear and catalyst protection and greatly reduces visible smoke.

YAMALUBE® 2W

Watercraft Performance for Two Strokes
Our exclusive formula features a strong anti-wear package and enhanced catalyst protection and significantly reduces visible smoke.

Precision-Blend
Semi-synthetic two stroke injector oil designed for WaveRunner® Personal Watercraft and Sport Boats provides Yamaha owners with precision-blended oil using only the finest lubricants.

Low Smoke
Achieves an exponential reduction in visible smoke at start-up and while you're under way.

Lubrication
Significantly reduces the wear of engine components, while providing excellent lubrication for moving parts and protecting the engine from ring stick and piston scuffing.

Not recommended for two stroke land-use vehicles or outboard motors.



Yamalube 4W
Four Stroke for Watercraft

An impressive anti-wear and anti-corrosion oil, 4W withstands the high rpm found in watercraft engines operating in harsh marine environments.


YAMALUBE® 4W

Watercraft Performance for Four Strokes
Specifically approved for use with Yamaha high-performance watercraft engines found in WaveRunners and Yamaha Sport Boats. Heavily fortified with detergents, anti-wear and corrosion additives to protect in the harsh marine environment.

Extreme Protection
This oil was designed specifically for the needs of four stroke WaveRunner Personal Watercraft and Sport Boats—and approved by the same Yamaha team responsible for designing them. It provides the anti-corrosion and anti-wear performance the marine environment demands. The result of careful testing, Yamalube 4W is proven to exceed expectations.

Performance
Extremely high rpm. Constant load. An unrelenting marine environment. These are just a few of the challenges you face when designing a new oil for WaveRunners and Sport Boats. And Yamalube 4W handles it all. When it comes to performance and protection, Yamalube is the only choice.

Yamalube 4W
Four Stroke Oil



- High-Performance Watercraft Oil
- Precision Blended
- Anti-Corrosion Protection

1 Quart Bottles (Qty. 12*)
1 Gallon Bottles (Qty. 4*)
55 Gallon Drum

LUB-10W40-WV-12
LUB-10W40-WV-04
LUB-10W40-WV-55

*Dealer order pack quantities shown - available individually from your dealer.

YAMALUBE®

Don't just ride the waves. Run them.

Before you grab a fist full of throttle, grab the right bottle. Yamalube. Its advanced lubrication technology is specifically designed to enhance the performance of your watercraft. You'll notice the difference, wave after wave. Yamalube delivers the performance boost and protection you need to confidently tame the water.



You run on adrenaline. Your ride demands more.


Yamalube Care Products for
WaveRunner® Personal Watercraft & Sport Boats



A Marine Grease Prevents corrosion and rust, and resists wash off, heat, pressure and harsh conditions.



B Yamashield™ Lubricant and corrosion inhibitor for a harsh marine environment.



C Silicone Protectant & Lubricant Protects metals from rust and plastics from harsh conditions.



D 10W-40 4W High-performance, high-revving oil with robust detergents, anti-wear and corrosion additives.



E Fuel Med RX Helps keeps fuel fresh and potent.



F Engine Med RX Removes carbon and protects fuel system metals.

Lubricants & Care Products



WATERCRAFT CARE

Better for Your Yamaha

Industry-leading watercraft innovation demands smarter oil. The kind of protection that can only come from the inside—from the same team that designed your Yamaha.

Better Engine Lubrication

Expect the finest ingredients, and the latest in lubrication technology in a formulation that meets Yamaha's stringent standards for quality.

Better Watercraft Engine Protection

Yamalube 4W 10W-40 and 2W are specifically approved for use in the Yamaha high-performance watercraft engines found in WaveRunners and Yamaha Sport Boats.


Others simply follow industry standards.
We prefer to stay ahead of them.

All Yamalube Four Stroke Marine Oils Are NMMA® FC-W® Certified.

What does this mean? Well, the National Marine Manufacturers Association® (NMMA®) has worked with industry leaders to establish testing criteria and performance standards for four stroke marine oil. Before an oil can achieve NMMA® FC-W® certification, it must pass a 100-hour general performance engine test, as well as bench tests for viscosity, filter plugging, foaming and aeration. To gauge rust and corrosion resistance, the NMMA® FC-W® oil committee has developed the industry's most punishing test. This proprietary test simulates a brutal marine environment, subjecting actual steel cylinder sleeves to extreme moisture and salt. Automotive oils simply aren't formulated to withstand these harsh conditions, so they won't come close to meeting the demanding NMMA® FC-W® standards.

Why are NMMA® FC-W®-Certified Oils Better?

Oils that earn FC-W® certification have been proven to provide the performance and quality demanded by today's advanced four stroke outboard technology. These oils stand up to extended full-throttle operation, high loads and the salt and moisture-rich air found in a harsh marine environment.



Yamalube 4M Full Synthetic Four Stroke for Outboards

NMMA® FC-W®-certified, Yamalube 4M Full Synthetic is our highest-performance, four stroke outboard formula. It increases lubricity for lower friction levels and can improve fuel economy.

YAMALUBE® 5W-30 4M

Why Should Yamalube Be Your Marine Oil of Choice?

In formulating each Yamalube marine oil, Yamaha oil engineers follow this three-step process:

- Examine an outboard/marine engine's performance demands
- Measure those demands against NMMA® standards
- Formulate the oil to meet or exceed all requirements

In stark contrast, many competing oil manufacturers simply take existing formulations and modify them just enough to achieve certification. Unfortunately, this doesn't ensure that the performance needs of the engine are also met. For overall protection and maximum performance, choose NMMA® FC-W®-certified Yamalube marine oils.

Yamalube 4M FS

Our first full synthetic marine oil, Yamalube 4M FS pushes outboard lubrication and performance to new levels. It features all the benefits of the original, mineral-oil-based, Yamalube 4M, but with a full synthetic formula that dials up lubricity, lowers friction levels and improves fuel economy. Offered in a 5W-30 weight, it provides excellent lubrication in all climates. It's recommended primarily for the Four Stroke VMAX SHO®, but works well in our other four strokes (e.g. V6 Offshore and F70 models) and in other brands of marine stern drive and inboard engines.

Rust & Corrosion Protection

Specific marine additives combat rust, corrosion, varnish, and wear; all while providing high levels of bearing protection, resistance to foaming and lubrication.

NMMA® FC-W® Certified

Yamalube 4M FS has been thoroughly reviewed by the NMMA®. It's passed rigorous tests for performance, viscosity, corrosion, filter plugging, foaming and aeration, and has been proven to provide the performance and quality today's advanced four stroke technology requires.

Formulated especially for outboard motors. Not recommended for WaveRunner® personal watercraft or Sport Boats.




To make sure you're purchasing an NMMA® FC-W® certified oil, look for this symbol on its bottle.

Game-Changing Technology Demands Advanced Lubrication.

All of Yamalube's four stroke marine formulations are NMMA® FC-W® certified. They provide high-performance lubrication that stands up to extended full-throttle operation, high loads and the salt air of a brutal marine environment.

NMMA® FC-W®
5W-30 4M Oil




- Full-Synthetic
- High-Performance Lubrication
- Precision Blended
- NMMA® FC-W® Certified
- For VMAX SHO® & High-Performance Four Strokes

1 Quart Bottles (Qty. 12*) LUB-O5W30-FC-12

*Dealer order pack quantities shown - available individually from your dealer.

4M
Four Stroke Oil



- Exceeds NMMA[®] FC-W[®] Ratings
- Powerful Corrosion & Wear Protection
- High Shear Stability

SAE 10W-30
 1 Quart Bottles (Qty. 12*)
 1 Gallon Bottles (Qty. 4*)
 55 Gallon Drum
SAE 20W-40
 1 Quart Bottles (Qty. 12*)
 1 Gallon Bottles (Qty. 4*)
 55 Gallon Drum

LUB-10W30-FC-12
LUB-10W30-FC-04
LUB-10W30-FC-55
LUB-20W40-FC-12
LUB-20W40-FC-04
LUB-20W40-FC-55

*Dealer order pack quantities shown - available individually from your dealer.



Yamalube 4M
Four Stroke for Outboards

A top-tier, NMMA[®] FC-W[®]-certified oil, 4M provides maximum rust and corrosion protection and cooler temperatures in advanced, four stroke outboard engines operating at varying loads, in a range of marine conditions.

YAMALUBE[®] 4M
10W-30 & 20W-40

NMMA[®] FC-W[®] for Four Stroke Outboards

Boat owners wanting the best protection for their four stroke outboards should look no further than Yamalube 4M FC-W[®]. Superior rust and corrosion additives that far exceed any passenger car requirement keep an engine safe in the harshest of environments.

Maximum Lubricity

Automotive engines do not usually run at 6000 rpm. Yamaha Outboard engines were designed to run at full throttle (5500 to 6000 rpm) all day long. At this speed it is critical that engine oil not foam. Foaming reduces lubricity which can lead to wear and over time this can lead to failure. Yamalube 4M FC-W[®] has the best blend of anti-foam technology available.

NMMA[®] FC-W[®] Approved

In order for an oil to be approved by the NMMA[®] to hold its highest rating for marine engine oils, FC-W[®] (Four Cycle - Water cooled), it must pass a multitude of tests. Passenger car oils don't pass these tests, which is why it's important to use NMMA[®]-certified Yamalube 4M FC-W[®].

Yamalube 2M
Two Stroke for Outboards

NMMA[®] TC-W3[®]-certified, 2M premium two stroke blend delivers superior lubrication and anti-wear/anti-rust protection for outboard engines operating in demanding marine environments.

YAMALUBE[®] 2M

NMMA[®] TC-W3[®] for Two Stroke Outboards

Semi-synthetic oil with an exclusive additive blend works to guard against ring stick and carbon build up, while special additives minimize wear. This oil is designed for the most grueling conditions outboards face. Whether it's extended full-throttle operation, engine-punishing "out-of-the-hole" acceleration, or hour after hour of trolling, this oil can take it. With its extreme level of performance, Yamalube 2M offers the best everyday protection, too.

Rust & Corrosion Protection

Provides the highest level of protection on the market.

NMMA[®] TC-W3[®]-Approved

With so many NMMA[®] TC-W3[®]-approved marine oils on the market, why insist on Yamalube 2M? Yamaha's outboards are renowned for their quality, performance and durability. We wouldn't risk that reputation by offering an inferior oil product. Plus, our proprietary knowledge of our engines and their performance requirements means we can offer the best oil for them. As a result of these high standards for quality and performance, our oils surpass the TC-W3[®] minimum requirements.

Formulated especially for outboard motors. Not recommended for WaveRunner[®] personal watercraft or Sport Boats.

2M
Two Stroke Oil



- Exceeds NMMA[®] TC-W3[®] Rating
- Extreme Lubrication
- Synthetic Blend

1 Quart Bottles (Qty. 12*)
1 Gallon Bottles (Qty. 4*)
2.5 Gallon Bottles (Qty. 2*)
55 Gallon Drum

LUB-2STRK-M1-12
LUB-2STRK-M1-04
LUB-2STRK-M1-02
LUB-2STRK-M1-55

*Dealer order pack quantities shown - available individually from your dealer.

YAMALUBE®


Don't forget to pack the life preservers.
Yamalube Care Products.

Nothing enhances performance, cuts down on wear and tear and extends engine life quite like Yamalube Care Products. To have adventure after Yamaha-powered adventure, follow a proper maintenance schedule using the only care products made specifically for Yamaha Outboards.



For turn key reliability,[®] turn to Yamalube.

Yamalube Marine Care Products



A
Silicone Protectant & Lubricant Protects metals from rust and plastics from harsh conditions.




B
Fuel Stabilizer & Conditioner PLUS Helps keep fuel fresh and potent.



C
Ring Free PLUS Removes carbon and protects fuel system metals.



D
Yamashield™ Creates a non-conductive shield on metal components and electrical connections.



E
5W-30 Full-Syn FC-W® 4M Outboard Oil Lowers friction levels and can improve fuel economy.



F
Marine Grease Prevents corrosion and rust, and resists wash off, heat, pressure and harsh conditions.

Lubricants & Care Products



MARINE CARE

Better for Your Yamaha

There's nothing harsher than a marine environment. Yamalube engine oils are developed by the same team that designed your Yamaha engine. So they're guaranteed to provide unrivaled protection and performance.

Better Lubrication

Yamalube oils include the finest ingredients and the latest in lubrication technology. They're the only oils that meet our stringent standards for quality. We know, because we do extensive performance testing. It doesn't get any better than this.

Better Protection

Polymers that resist break down in extreme conditions. Superior rust and corrosion protection. Detergents and dispersants to keep your engine clean. Yamalube has you covered.

When the engine starts,
the performance never stops.

A Day on the Golf Course Means Frequent Stops and Starts

Yamalube 10W-30 features a high-quality base oil and a special additive package to give your engine maximum anti-wear protection from repeated starts.

Golf Car Benefits

High Performance on the Golf Course

Yamalube 10W-30 provides suspension detergent performance in golf cars, and its film strength protects the engine from daily use.

Performance Additives

An advanced additive package protects these hardworking engines from the wear and tear of frequent stops and start-ups, fights corrosion and carbon deposits and extends engine life.

The Right Viscosity

This oil meets or exceeds all factory requirements and is offered in the precise viscosity recommended for your Yamaha golf car.



You Need to be Able to Count on Your Generator.

Whether it's an emergency or you're at a worksite, things will come to a screeching halt if it fails. Yamalube 10W-30 features an advanced additive package blended with high-quality base oils. This provides maximum protection and ensures dependability under constant loads for extended periods of time.



**Yamalube 10W-30
Golf Car & Generator Oil**

Golf car and generator engines are subjected to frequent start-ups and are under constant loads all day long. 10W-30 features high-quality base oils, and an additive package to protect against wear.

YAMALUBE® 10W-30

Generator Benefits

Protection You Can Count On

Yamalube 10W-30 features an extremely clean additive package, providing all-weather performance and dependability and incredible film strength to protect your engine from heavy load and torque.

Performance Additives

10W-30 AP contains more performance additives than typical oils. This helps to fight corrosion and wear, reduces carbon deposits, keeps friction levels low and extends engine life.

The Right Viscosity

This oil meets or exceeds all factory requirements and is offered in the precise viscosity recommended for your Yamaha generator.

10W-30
Golf Car &
Generator Oil



- Powerful Corrosion & Wear Protection
- Exceeds Factory Recommendations
- Ultra-Clean Additives

1 Quart Bottles (Qty. 12*)
5 Gallon Pail
55 Gallon Drum

LUB-10W30-GG-12
LUB-10W30-GG-05
LUB-10W30-GG-55

*Dealer order pack quantities shown - available individually from your dealer.

YAMALUBE®

For the right protection, the pros know where to go.

Golf cars work hard all day long. You need protection that does, too. Make sure your Yamaha's always up for 18 with high quality Yamalube Care Products.



The perfect protection for the drive.

Yamalube Care Products for Golf Cars



Lubricants & Care Products



GOLF CAR CARE

Better for Your Yamaha

In one day, a golfer may play 18, but a golf car probably sees hundreds of flagsticks. Protect it from the wear and tear of nearly continuous use with Yamalube 10W-30 Performance All Purpose. It includes high quality mineral base stocks and provides incredible film strength.

Better Lubrication

Yamaha has stringent standards for the lubrication of its golf cars—and other off-the-shelf oils just aren't up to par. That's why we've created our own. Our factory-approved engine oils include unparalleled mineral base stocks and technologically superior additives, providing excellent protection.

Better Protection

Yamalube Performance All Purpose oil is available in the precise multi-grade viscosity recommended for your four stroke Yamaha golf car, and meets or exceeds all factory requirements.



A **Spray Polish & Instant Detailer** Repels dirt and shines paint, chrome, glass and smooth plastics.




B **Silicone Protectant & Lubricant** Protects metals from rust and plastics from harsh conditions.




C **LubezAll™** Multi-purpose, dielectric, aerosol, synthetic grease for moving parts.



D **Battery Terminal Cleaner & Protector** Neutralizes acid corrosion, increases output, extends life.



E **Engine Med RX** Removes carbon and protects fuel system metals.



F **Friction Modified Shaft Drive Gear Oil** For sealed wet brake final drives and standard differentials.



Professional rider with advanced skill depicted on a closed course.

World-class protection, all in one convenient, high-performance package.

With Yamalube Oil Change Kits, giving your legendary Yamaha the protection it deserves is a snap. Kits are engine-specific, including everything you need—oil, oil filter, drain seals and o-rings. Just look up your model, grab a kit and go—literally.

Sport II Motorcycle Oil Kit Shown
LUB-SPTCG-KT-10 (Contents vary by kit)



SPORT MOTORCYCLE FULL-SYNTHETIC KIT:
LUB-SPTCG-KT-00 Dealer Order Quantity 4

CONTENTS:
15W-50 Performance Full-Synthetic Oil (4 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

SPORT MOTORCYCLE ALL PURPOSE KIT:
LUB-SPTCG-KT-05 Dealer Order Quantity 4

CONTENTS:
10W-40 Performance All Purpose Oil (4 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

MODELS INCLUDED:
'00-'06 YZF-R1 '01-'05 FZ1
'01-'05 YZF-R6 '04-'06 FZ6
'06-'09 YZF-R6S

SPORT II MOTORCYCLE FULL-SYNTHETIC KIT:
LUB-SPTCG-KT-10 Dealer Order Quantity 4

CONTENTS:
15W-50 Performance Full-Synthetic Oil (4 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

SPORT II MOTORCYCLE ALL PURPOSE KIT:
LUB-SPTCG-KT-15 Dealer Order Quantity 4

CONTENTS:
10W-40 Performance All Purpose Oil (4 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

MODELS INCLUDED:
'06-'12 YZF-R6 '07-'09 FZ6
'07-'08 YZF-R1 '09-'12 FZ6R
'09-'12 YZF-R1 '11-'12 FZ8
'06-'12 FZ1

OFF-ROAD MOTORCYCLE KIT:
LUB-OFFCG-KT-00 Dealer Order Quantity 6

CONTENTS:
10W-50 Performance Semi-Synthetic Oil (2 Qts.)
Oil Filter (Qty. 1)
Drain Gaskets (Qty. 2)
O-Rings (Qty. 4)

MODELS INCLUDED:
'01-'10 YZ250F '03-'09 WR450F
'03-'10 YZ450F '08-'11 WR250X
'01-'09 WR250F '08-'12 WR250R

STAR® MOTORCYCLE SEMI-SYNTHETIC KIT:
LUB-STRCG-KT-05 Dealer Order Quantity 4

CONTENTS:
20W-50 Performance Semi-Synthetic Oil (6 Qts.)
Oil Filter (Qty. 1)
Drain Gaskets (Qty. 3)

STAR® MOTORCYCLE ALL PURPOSE KIT:
LUB-STRCG-KT-00 Dealer Order Quantity 4

CONTENTS:
20W-50 Performance All Purpose Oil (6 Qts.)
Oil Filter (Qty. 1)
Drain Gaskets (Qty. 3)

MODELS INCLUDED:
'99-'10 Road Star Silverado '06-'10 Stratoliner Midnight
'99-'12 Road Star Silverado S '06-'12 Roadliner S
'99-'12 Road Star S '06-'10 Roadliner Midnight
'99-'10 Road Star '08-'12 Raider
'02-'10 Warrior '08-'12 Raider S
'02-'10 Midnight Warrior '12 Raider SCL
'06-'12 Stratoliner S '10-'12 Stratoliner Deluxe

STAR® MOTORCYCLE 650 ALL PURPOSE KIT:
LUB-STRCG-KT-30 Dealer Order Quantity 6

CONTENTS:
20W-50 Performance All Purpose Oil (3 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

MODELS INCLUDED:
'08-'11 V Star 650

STAR® MOTORCYCLE 950 SEMI-SYNTHETIC KIT:
LUB-STRCG-KT-25 Dealer Order Quantity 4

CONTENTS:
20W-50 Performance Semi-Synthetic Oil (5 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

STAR® MOTORCYCLE 950 ALL PURPOSE KIT:
LUB-STRCG-KT-20 Dealer Order Quantity 4

CONTENTS:
20W-50 Performance All Purpose Oil (5 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

MODELS INCLUDED:
'09-'12 V Star 950

STAR® MOTORCYCLE 1300 SEMI-SYNTHETIC KIT:
LUB-STRCG-KT-15 Dealer Order Quantity 4

CONTENTS:
20W-50 Performance Semi-Synthetic Oil (4 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

STAR® MOTORCYCLE 1300 ALL PURPOSE KIT:
LUB-STRCG-KT-10 Dealer Order Quantity 4

CONTENTS:
20W-50 Performance All Purpose Oil (4 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

MODELS INCLUDED:
'07-'12 V Star 1300 '11-'12 Stryker

ATV & SIDE x SIDE KIT:
LUB-ATVCG-KT-01 Dealer Order Quantity 6

CONTENTS:
10W-40 Performance All Purpose Oil (3 Qts.)
Oil Filter (Qty. 1)
Drain Gaskets (Qty. 3)

ATV & SIDE x SIDE "COLD WEATHER" KIT:
LUB-ATVCG-KT-10 Dealer Order Quantity 6

CONTENTS:
5W-30 Utility Performance Oil (3 Qts.)
Oil Filter (Qty. 1)
Drain Gaskets (Qty. 3)

MODELS INCLUDED:
'00-'04 Kodiak 400 2WD '02-'08 Grizzly 660 4WD
'00-'06 Kodiak 400 4WD '07-'08 Grizzly 400 4WD
'03-'06 Kodiak 450 4WD '07-'11 Grizzly 350 2WD
'04-'06 Bruin 350 2WD '07-'12 Grizzly 350 4WD
'04-'06 Bruin 350 4WD '07-'12 Grizzly 450 4WD
'04-'07 Rhino 660 4WD '07-'12 Grizzly 700 4WD
'06-'09 Rhino 450 4WD '09-'12 Grizzly 550 4WD
'07-'08 Rhino 450 SE AUTO 4WD '06-'10 Wolverine 450 4WD
'08-'12 Rhino 700 4WD '07-'09 Wolverine 350 2WD





World-class protection, all in one convenient, high-performance package.

With Yamalube Marine Oil Change Kits, giving your legendary Yamaha outboard or watercraft the protection it deserves is easy. Kits are engine-specific, including everything you need—oil, oil filter and drain seals—all in one convenient kit.

Sport Boat Oil Kit Shown
LUB-WTRCG-KT-10 (Contents vary by kit)



WATERCRAFT KIT FOR SPORT BOATS & WAVERUNNERS®:
LUB-WTRCG-KT-00 Dealer Order Quantity 6

CONTENTS:
10W-40 4W Watercraft Performance Oil (3 Qts.)
Oil Filter (Qty. 1)

MODELS INCLUDED:
'02-'07 FX '08-'10 212 Series Boat
'04-'08 FX HO '05-'09 230 HO Series Boat
'04-'08 FX Cruiser HO '08-'09 232 Series Boat
'03-'06 230 Series Boat '05-'12 VX Series
'06-'12 210 Series Boat

WATERCRAFT II KIT FOR SPORT BOATS & WAVERUNNERS:
LUB-WTRCG-KT-10 Dealer Order Quantity 4

CONTENTS:
10W-40 4W Watercraft Performance Oil (4 Qts.)
Oil Filter (Qty. 1)

MODELS INCLUDED:
'08-'12 FX Cruiser SHO '10-'12 240 Series Boat
'09-'12 FX Cruiser HO '10-'12 242 Series Boat
'08-'12 FX SHO '12 190 Series Boat
'09-'12 FX HO '12 212 Series Boat
'09-'12 FZR/FZS '11-'12 VXR/VXS



Oil Extractor Pump makes changing the oil on your Yamaha outboard or personal watercraft clean and hassle-free. (Not included in oil change kit.)

OUTBOARD F30-F70 10W-30 KITS:
LUB-MRNSM-KT-10 Dealer Order Quantity 6

CONTENTS:
10W-30 Oil (3 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

OUTBOARD F30-F70 20W-40 KITS:
LUB-MRNSM-KT-20 Dealer Order Quantity 6

CONTENTS:
20W-40 Oil (3 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

MODELS INCLUDED:
'95-Current F50 '09-Current F40A
'96-Current T50 '10-Current F70
'02-Current F60 '99-'08 F40
'03-Current T60 '01-'06 F30

OUTBOARD F75-F115 10W-30 KITS:
LUB-MRNMD-KT-10 Dealer Order Quantity 4

CONTENTS:
10W-30 Oil (5 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

OUTBOARD F75-F115 20W-40 KITS:
LUB-MRNMD-KT-20 Dealer Order Quantity 4

CONTENTS:
20W-40 Oil (5 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

MODELS INCLUDED:
'99-'02 F80 '03-Current F75
'99-'02 F100 '03-Current F90
'00-Current F115

OUTBOARD F150 10W-30 KIT:
LUB-MRNMK-KT-10 Dealer Order Quantity 4

CONTENTS:
10W-30 Oil (5 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

OUTBOARD F150 20W-40 KIT:
LUB-MRNMK-KT-20 Dealer Order Quantity 4

CONTENTS:
20W-40 Oil (5 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

MODELS INCLUDED:
'04-Current F150

OUTBOARD F200-F250 10W-30 KITS:
LUB-MRNLG-KT-10 Dealer Order Quantity 4

CONTENTS:
10W-30 Oil (6 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

OUTBOARD F200-F250 20W-40 KITS:
LUB-MRNLG-KT-20 Dealer Order Quantity 4

CONTENTS:
20W-40 Oil (6 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

MODELS INCLUDED:
'02-Current F200 3.3 L '05-Current F250A&B 3.3 L
'02-Current F225 3.3 L '08-Current F225 Sport 3.3 L



**SNOWMOBILE 4 CYLINDER
PERFORMANCE FULL-SYNTHETIC KIT:
LUB-SMBCG-KT-15** Dealer Order Quantity 4

CONTENTS:
OW-40 Full-Synthetic Oil (4 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

**SNOWMOBILE 4 CYLINDER
PERFORMANCE SEMI-SYNTHETIC KIT:
LUB-SMBCG-KT-10** Dealer Order Quantity 4

CONTENTS:
OW-30 Semi-Synthetic Oil (4 Qts.)
Oil Filter (Qty. 1)
Drain Gasket (Qty. 1)

MODELS INCLUDED:

- | | |
|--------------------------|-----------------------|
| '03-'05 RX-1 | '06-'07 Attak GT |
| '03-'05 RX-1 LE | '06-'07 Apex Mountain |
| '03-'05 RX-1 Mountain | '07 Apex Mountain SE |
| '03-'05 RX-1 Mountain LE | '08 Apex MTX SE |
| '04-'05 RX Warrior | '08-'10 Apex MTX |
| '06-'09 Apex RTX | '08-'10 Apex LTX |
| '06-'10 Apex GT | '08-'10 Apex LTX GT |
| '06-'13 Apex | '11-'13 Apex SE |
| '06-'07 Attak | '11-'13 Apex XTX |

**SNOWMOBILE 2 & 3 CYLINDER
PERFORMANCE FULL-SYNTHETIC KIT:
LUB-SMBCG-KT-05** Dealer Order Quantity 4

CONTENTS:
OW-40 Full-Synthetic Oil (4 Qts.)
Oil Filter (Qty. 1)
Drain Gaskets (Qty. 2)

**SNOWMOBILE 2 & 3 CYLINDER
PERFORMANCE SEMI-SYNTHETIC KIT:
LUB-SMBCG-KT-01** Dealer Order Quantity 4

CONTENTS:
OW-30 Semi-Synthetic Oil (4 Qts.)
Oil Filter (Qty. 1)
Drain Gaskets (Qty. 2)

MODELS INCLUDED:

- | | |
|--------------------------|--------------------------------|
| '05-'07 RS Vector MTN | '10-'11 FX Nytro MTX SE 153 |
| '06-'07 RS Vector MTN SE | '10-'11 FX Nytro MTX SE 162 |
| '05-'09 RS Vector | '12-'13 FX Nytro MTX 162 |
| '06-'13 RS Vector GT | '12-'13 FX Nytro MTX 153 |
| '08-'09 RS Vector LTX | '08-'13 FX Nytro |
| '08-'11 RS Vector LTX GT | '08-'13 FX Nytro RTX |
| '12-'13 RS Vector LTX | '09-'10 FX Nytro RTX SE |
| '05-'07 RS Rage | '09-'13 FX Nytro XTX |
| '07 RS Rage GT | '13 FX Nytro XTX 1.75 |
| '05-'13 RS Venture | '06-'13 RS Viking Professional |
| '07-'13 RS Venture GT | '07 Phazer MTN Lite |
| '07-'13 Venture Lite | '07 Phazer FX |
| '13 Venture MP | '07-'09 Phazer |
| '13 RS Venture TF | '07-'13 Phazer GT |
| '06-'07 RS Nytro | '08-'13 Phazer MTX |
| '08-'10 FX Nytro MTX | '08-'13 Phazer RTX |



Snowmobile 2 & 3 Cylinder Oil Kit Shown
LUB-SMBCG-KT-01 (Contents vary by kit)

Lubricants & Care Products

Color-coding makes caring for your Yamaha a snap.

Lubricants 


Quality Care 

Maintenance 

Additives 

Fork Oils 

Adhesives 



Professional rider with advanced skill depicted on a closed course.

THE FORMULA FOR PERFORMANCE

Yamaha is in constant pursuit of a more reliable, exhilarating experience for its customers—on the track, trail, highway, water or snow. As our vehicles and engines evolve, only one line of care products will be able to keep up—Yamalube. Our lineup includes lubricants, quality care products, maintenance products, fork oils, fuel additives and adhesives. And it's all color-coded, taking the guesswork out of caring for your Yamaha.

For high performance, long life and one of the world's most reliable rides, count on Yamaha and Yamalube Care Products.



High Performance Synthetic Race Grease

Used by Yamaha race teams, this grease was designed to withstand extreme pressure and provide maximum performance. Lithium soap based.

(Product should be used where grease "B" and "LS" are specified in service manual.)

14 oz. Cartridge (Qty. 10*)
ACC-SYNPF-GR-00



Polyurea Grease

Formulated with deposit control, this NLGI® #2 grade grease resists oxidation and rust on components, and the affects of aging and operating temperatures between -10 and 325°F. Designed for the high temperature and speed exhibited in the mechanical bearing of a primary sheave drive.

(Product should be used where grease "H" and Shell® BT Grease 3 are specified in service manual.)

10 oz. Tube (Qty. 12*)
ACC-POLYG-RS-10



3 oz. Multi-Purpose Grease Gun

One-hand operation. Includes one multi-purpose grease cartridge.

Kit

ACC-GREAS-EG-UN (Qty. 1*)

(Product should be used where grease "B" is specified in service manual.)

Uses 3 oz. Refill Cartridges

ACC-GREAS-RE-FL (Qty. 1*)

NEW! Snowmobile High Performance Suspension Grease

Our best snowmobile grease for use with advanced suspension systems needing to react quickly to rough trail conditions. (NLGI® 2)

(Product should be used where grease ESSO® Beacon 325 and Aeroshell® Grease #7 are specified in service manual.)

14 oz. Cartridge (Qty. 10*)
ACC-SMBGR-SE-14



Multi Purpose Grease

Specially formulated to resist extreme pressure, water and corrosion. (NLGI® 2)

(Product should be used where grease "B" is specified in service manual.)
1 lb. Tub (Qty. 6*)
ACC-MLTPR-GR-00



UltraMatic Grease

Special grease formula for ATV automatic clutches. Successor to "Grizzly Grease."

(Product should be used where Grizzly Grease is specified in service manual.)

1 lb. Tub (Qty. 6*)
ACC-ULTRA-GS-16



Marine Grease Especially formulated to resist wash-off and extreme heat and pressure, and prevent corrosion and rust. (NLGI® 2) Lithium soap based.

(Product should be used where grease "A" is specified in service manual.)

10 oz. Tube (Qty. 12*)

ACC-GREAS-10-CT

14.1 oz. Cartridge (Qty. 10*)

ACC-GREAS-14-CT



Molybdenum Disulfide Grease

This extreme-pressure grease lubricates high loads at various speeds. Non-corrosive, it's water-resistant, exhibiting low-friction properties that protect against wear and galling in difficult operating conditions.

(Product should be used where grease "M" is specified in service manual.)

10 oz. Tube (Qty. 12*)

ACC-MOLDM-GS-10



Brake Caliper Grease

Synthetic formula for lubricating brake calipers during re-assembly. Withstands temperatures to 500°F. Dielectric and safe for use with rubber and plastic.

(Product should be used where grease "S" is specified in service manual.)

3 oz. Tube (Qty. 12*)
ACC-SLCNG-RS-00



Race Grease

For bearings and other applications requiring high surface strength. (NLGI® 2) Lithium soap based.

(Product should be used where grease "B" and "LS" are specified in service manual.)

1 lb. Tub (Qty. 6*)
ACC-RACEG-RE-AS

*Dealer order pack quantities shown - available individually from your dealer.



NEW! Full Synthetic Shaft Drive Gear Oil

For the quiet operation and proper performance of standard differentials. Has superior anti-wear and anti-scoring properties and dispersant inhibitors. Not for use in FJR1300, '09 and newer VMAX and '10 and newer Super Ténéré and wet brake differentials.
1 Quart Bottle (Qty. 12*)
ACC-SHAFT-DR-FS



Friction Modified Shaft Drive Gear Oil
 Specially formulated for quiet operation and proper performance of sealed wet brake final drives and standard differentials of all Yamaha products. It contains a superior anti-wear and anti-scoring performance additive and a dispersant inhibitor system to help maintain seal pliability to prevent leaks. SAE 80W90 GL-4 & GL-5
1 Quart Bottle (Qty. 12*)
ACC-SHAFT-LU-00
5 Gallon Pail
ACC-SHAFT-LU-05



Trans-Oil Plus Performance
 20W-40 oil blended specially for two stroke motorcycle transmissions.
1 Quart Bottle (Qty. 12*)
ACC-TRANS-PL-US



Tire Mount Lube
 Specially formulated lubricant that allows you to change tires on the rim quickly with less chance of damage. Use on any rim-mounted tire to provide a lubricated surface that eases tire installation while helping to protect the tire bead from damage. Preventing damage to the tire bead improves its sealing ability.
11 oz. Can (Qty. 12*)
ACC-TIRMN-TL-UB



Shaft Drive Oil Exclusive
 Designed specifically for use in FJR1300/1300A and '09 and newer VMAX and '10 and newer Super Ténéré. Provides superior heat resistance and protection to ring and pinion gears during high-speed, long-distance traveling. (Replaces Shaft Drive Oil 9079E-SH001-00)
1 Quart Bottle (Qty. 6*)
ACC-SHFTD-EX-00



Snowmobile Chain Case Lube
 Premium quality chain case lube designed to meet the extreme temperatures and conditions encountered in snowmobiles. The conveniently sized bottle holds enough oil for one complete fluid replacement. (Bottle is not filled to the top.)
8.5 oz. Bottle (Qty. 24*)
ACC-CHNCS-LU-BE



Marine Gearcase Lube
 Rust and corrosion inhibitors protect outboard gearcase components and SAE 90, 80W90 meets GL-4. (Not for use on V8 outboards.)
10 oz. Tube (Qty. 12*)
ACC-GEARL-UB-10
1 Quart Bottle (Qty. 12*)
ACC-GEARL-UB-QT
1 Gallon Bottle (Qty. 4*)
ACC-GEARL-UB-GL
5 Gallon Pail
ACC-GEARL-UB-O5
55 Gallon Drum
ACC-GEARL-UB-55



Performance Power Trim & Tilt Fluid
 Premium formula is non-foaming and resists heat and pressure found in power trim, tilt and power steering systems for smooth operation. Meets Yamaha factory requirements.
10 oz. Tube (Qty. 12*)
ACC-PWRTR-MF-10
1 Quart Bottle (Qty. 12*)
ACC-PWRTR-MF-32



Marine Gearcase Lube HD
 Special formulation required for gearcases in V8 F300-F350, V6 VMAX SHO® 200-250 and 2010 and newer V6 Offshore models. (Not for use in any other Yamaha outboard.)
1 Quart Bottle (Qty. 12*)
ACC-GLUBE-HD-QT
5 Gallon Pail
ACC-GLUBE-HD-O5



Brake Fluid
 This high-quality hydraulic brake fluid meets DOT 4 specifications and is the only brake fluid currently recommended for use in Yamaha products.
8 oz. Bottle (Qty. 12*)
ACC-BRAKE-FL-UD

*Dealer order pack quantities shown - available individually from your dealer.



With the Yamalube Marine detailing kit, restoring that showroom shine to your boat is a snap. You'll have everything you need—from Glass Cleaner and Vinyl Dressing to Hull Cleaner and Wash & Wax. Its handy bucket packaging does double-duty, holding soapy water for washing, and then housing all of your cleaning products once you're done. From the windshield to the hull, there's not one part of your boat that won't look brand spanking new.



Marine Detailing Kit

Protect your investment and keep your equipment looking like new with our detail kit in a bucket. It includes: 32 oz. bottle of All Purpose Cleaner, 32 oz. bottle of Vinyl Dressing, 32 oz. bottle of Glass Cleaner, 16 oz. bottle of Wash & Wax, 32 oz. bottle of Hull Cleaner, 32 oz. bottle of Deodorizer, Micro-Fiber Towel and Wash Sponge.

ACC-YAMAC-MA-BU

NEW! Motorcycle Detailing Kits

Details make champions. So whether you're on the track, trail or street, competing for trophies or cleaning up after a long ride, you'll be winning with Yamalube's Street Bike and Off-Road Detailing Kits. They include everything you need to wash away the dust, dirt and grime and bring back that showroom shine.



Yamaclean® Off-Road Detailing Kit

Ride it hard and put it away fresh. This convenient kit contains everything you need to make your off-road bike, ATV or Side x Side look its best. It includes: External Engine Cleaner, Pro-Wash Spray, Shine Wipes, Spoke Brush, Micro-Fiber Sponge and two towels.

ACC-YAMAC-OF-RD (Qty. 2*)



Yamaclean® Street Bike Detailing Kit

Clearly you like 'em fast; so you'll appreciate this one-stop cleaning kit. It contains everything you need to quickly and easily make your street bike look showroom fresh. This convenient kit includes: Spray Polish, Pro-Wash Spray, Wash & Wax Concentrate, Wheel Brush with Scrubber, Micro-Fiber Sponge and two towels.

ACC-YAMAC-ST-BK (Qty. 2*)



Windshield & Visor Plastic Cleaner & Conditioner

A special cleaner/polish for all smooth plastic surfaces, like windshields. It dissolves oils, grease and insect matter from windscreens and visors, leaving a super-slick surface.

(New name, same part number. Formally known as Plastic Polish.)

8 oz. Bottle (Qty. 10*)

ACC-PLASP-OL-11



Yamaclean® Shine Wipes

The only silicone-based wipes on the market, they add shine for that showroom-new look. Use on dull, faded plastic to help restore luster.

(Warning: not for use on tire treads.)

30 Ct.

ACC-YAMAS-HN-00

180 Ct.

ACC-YAMAS-HN-10



Simichrome Polish®


Polishing paste for chrome, aluminum, silver, brass or any metal.

1.76 oz. Tube (Qty. 6*)

ACC-11000-19-01

11 grams (Qty. 25*)

ACC-11000-19-03



Black Polish Recommended for black leather jackets, boots, bags and other black leather riding gear.

1.5 oz. Jar

ACC-CREAM-PL-SH



Spray Polish & Instant Detailer

This quick detailer will restore a lustrous shine to paint, chrome, glass and smooth plastics like visors, windshields and gauges. Gives textured plastics, rubber and vinyl a beautiful satin finish. Anti-static properties repel dust and dirt to keep that shine.

14 oz. Can (Qty. 12*)

ACC-SPRAY-PL-SH



Yamaclean® Spray Wax

Forms a slick, shiny polymer barrier that causes water to bead on contact. It also reduces the ability of dirt and grime to adhere to the surface, helping to maintain the shine.

12 oz. Can (Qty. 12*)

ACC-YAMAC-SP-WX



Saddle Soap When leather gets soiled and grimy from riding, the best way to clean it is with saddle soap. Saddle soap will clean and condition your leather so that it stays soft and supple.

4 oz. Jar

ACC-SADDL-ES-AP

*Dealer order pack quantities shown - available individually from your dealer.



Yamaclean® Pro-Wash Spray

A biodegradable vehicle spray wash that removes grime and soil. Rinses clean and helps keep your vehicle looking new.

32 oz. Bottle (Qty. 12*)
ACC-YAMAC-PW-SP



Hand Cleaner

This hand cleaner powers through dirt, grease, and grime to give your hands a smooth clean feeling.

15 oz. Bottle (Qty. 12*)
ACC-HNDCL-NR-OO

Hand Cleaner Gallon Also available in a one-gallon/four liter bottle, for use with our wall-mounted dispenser.

1 Gallon / 4 liters (Qty. 4*)
ACC-HNDCL-NR-01



Yamaclean® Glass Cleaner

Leaves windshields, mirrors, visors and windscreens streak-free and amazingly clear. Contains no ammonia, is fast drying and won't harm tinted windows.

32 oz. Bottle (Qty. 12*)
ACC-YAMAC-GL-CL



Yamaclean® Deodorizer

This deep penetrating, fast acting deodorizer leaves areas of your boat clean and fresh. Eliminates odors on fabrics, carpets and upholstery—including stale smoke—rather than covering them up. Also reduces allergens from pets and dust mites.

32 oz. Bottle (Qty. 12*)
ACC-YAMAC-DE-ZR



Wash & Wax Concentrate

Concentrated Yamalube Wash & Wax is a premium, high-sudsing wash-and-wax formula. Its superior cleaning and rinsing properties minimize streaking and spotting to leave a super-bright, clear shine.

16 oz. Bottle (Qty. 12*)
ACC-YAMAC-WH-WX



Yamaclean® Vinyl Dressing

This one-step formula restores and protects vinyl, rubber, plastics and leather. When dry, it leaves a transparent and water-repellent gloss coating that isn't slippery. Its UV protection also helps to prevent drying and cracking.

32 oz. Bottle (Qty. 12*)
ACC-YAMAC-VN-DR



Yamaclean® Ammoniated Glass Cleaner

This streak-free formula cleans grease, dirt and water spots on glass, mirrors and many other hard, washable surfaces. The aerosol spray allows for quick application.

12 oz. Can (Qty. 12*)
ACC-YAMAC-GL-CR



Yamaclean® Carpet Cleaner

Gently foams away soil, oil and grease from vinyl, fabric and carpet. The surfactant formula surrounds and suspends soil—only mild agitation with a carpet brush is needed. Treat problem areas or the entire carpet. Spot cleaning should not leave rings on fabric.

12 oz. Can (Qty. 12*)
ACC-YAMAC-CT-CR



Yamaclean® Hull Cleaner

Formulated specifically to remove light corrosion, dirt, and grease from fiberglass boat hulls. Its combination of modern surfactants and builders effortlessly remove most water stains, algae, mold, rust stains, oil, scum lines and light oxidation.

32 oz. Bottle (Qty. 12*)
ACC-YAMAC-HL-CL



Yamaclean® Bilge Cleaner

Effortlessly dissolves oil, grease, gasoline and sludge, removing odor-causing elements without scrubbing. Safe for fiberglass, wood and metal boats and requires no scrubbing.

32 oz. Bottle (Qty. 12*)
ACC-YAMAC-BG-CL



Yamaclean® All Purpose Cleaner

Removes most grease, oil, blood, mildew, soap scum, bird and spider droppings, scuff marks, pet stains, dust, pollen, fingerprints, food/beverages, sea salt residue and more, leaving surfaces clean for optimum brilliance.

32 oz. Bottle (Qty. 12*)
ACC-YAMAC-AP-CL

*Dealer order pack quantities shown - available individually from your dealer.



Deluxe Long Scrub Brush with Stiff Bristles

Long scrub brush with stiff, resilient, durable poly scrubbing bristles. Great for bugs, wheels and bumpers. Ergonomically designed for comfortable, effective cleaning.

ACC-LAITP-27-48
ACC-LABKP-27-48 (Qty. 8*)



Deluxe Interior Brush with Stiff Bristles Interior brush with stiff, resilient, durable poly bristles, great for upholstery, carpets, mats and wheels. Ergonomically designed for comfortable, effective cleaning.

ACC-LAITP-22-78
ACC-LABKP-22-78 (Qty. 6*)

Economy Micro-Fiber Wash Sponge Value-based micro-fiber wash sponge. Short-pile micro-fiber really soaks up water and soap to gently clean any surface. Great for stowing away to take on the go anywhere.


ACC-LAIT7-95-01
ACC-LABK7-95-01 (Qty. 8*)



Deluxe Wheel & Spoke Brush with Soft Bristles

Extra-long wheel brush with two super-soft loops of bristles, it's great for spokes, around exhaust, fenders, and engine parts. Ergonomically designed, it features a soft-molded rubber grip.

ACC-LAIT7-79-01
ACC-LABK7-79-01 (Qty. 12*)



Deluxe Wheel & Spoke Brush with Scrubber Pad

Extra-long wheel brush with one loop of soft bristles for overall cleaning and a scouring pad for tougher spots. Ergonomically designed for your hand it features a soft-molded rubber grip.

ACC-LAIT5-79-01
ACC-LABK5-79-01 (Qty. 12*)



Detail Brush Kit-3 Pack

Premium detail brush kit includes stainless steel, brass and poly bristle brushes with soft-molded rubber grips for comfort. Cleans gunk and corrosion with less effort and better results.

ACC-LAIT9-99-01
ACC-LABK9-99-01 (Qty. 12*)



Micro-Fiber Bug Scrubber-2 Pack

Premium micro-fiber bug and tar sponge. Safe on any surface, waffle weave pattern scrubs those stubborn stains.

ACC-LAIT3-16-01
ACC-LABK3-16-01 (Qty. 14*)



Micro-Fiber Drying Towel

Premium micro-fiber drying towel is big enough and plush enough to handle any job.

24"x24"
ACC-LAIT5-85-01
ACC-LABK5-85-01 (Qty. 6*)
24"x40"
ACC-LAIT2-95-01
ACC-LABK2-95-01 (Qty. 6*)



Micro-Fiber Polishing Cloths-3 Pack

Premium 3-pack micro-fiber super soft suede polish cloths. These towels are so soft you can use them on chrome, windows, clear coat and even eyewear.

ACC-LAIT6-95-01
ACC-LABK6-95-01 (Qty. 6*)



Micro-Fiber Cleaning Towels-8 Pack

Premium 8 pack of micro-fiber towels. Whatever job you have these towels have you covered. Bike, auto, boat, RV and home.

ACC-LAIT3-95-01
ACC-LABK3-95-01 (Qty. 18*)



10" Wash Brush, Soft Bristle with 62" Flo-Thru Handle

10" wash brush features super-soft, clear-coat synthetic bristles and a 62", telescoping, Flo-Thru Handle with on/off water control valve. Safe and effective for cleaning trailers, rigs, trucks, SUVs and cars. Standard, acme threads.

ACC-LAIT5-17-11
ACC-LABK5-17-11 (Qty. 6*)



10" Bi-Level Wash Brush with 72" Flo-Thru Handle

Huge 10" bi-level wash brush stuffed with lots of super-soft, clear-coat, safe, synthetic bristles set into solid structural foam poly block. Includes a 72" telescopic Flo-Thru Handle with on/off water control valve.

ACC-LAIT8-61-51
ACC-LABK8-61-51 (Qty. 6*)



10" Bi-Level Wash Brush

Huge 10" bi-level wash brush stuffed with lots of super-soft, clear-coat-safe synthetic bristles set into solid structural foam poly block. With standard ACME threads to fit any standard handle. Great for cleaning trailers, rigs, trucks, SUVs and cars.


ACC-LAITO-15-10
ACC-LABKO-15-10 (Qty. 12*)



Power Brush

The ultimate in safe, speedy wheel cleaning. Attach it to any cordless drill or inline cordless drive and its more than 20,000 super-soft, clear-coat bristles spin to clean wheels in a fraction of the time.

ACC-LAIT9-79-01
ACC-LABK9-79-01 (Qty. 4*)



Micro-Fiber Chenille Wash Sponge with Bug Scrubber

Features a mesh back for scrubbing for bugs and road tar, and long-pile micro-fibers that really soak up water and soap to gently clean any surface.

ACC-LAIT5-95-01
ACC-LABK5-95-01 (Qty. 8*)



Micro-Fiber Chenille Wash Mitt

Premium micro-fiber chenille wash mitt with elastic cuff. Long pile micro-fiber really soaks up water and soap to gently clean any surface.

ACC-LAIT4-95-01
ACC-LABK4-95-01 (Qty. 8*)



Acrylic Wash Mitt

Soft economy mitt with elastic cuff. Great for any job.

ACC-LAIT2-46-01
ACC-LABK2-46-01
(Qty. 12*)

4" Wax Applicator-2 Pack

Soft cotton applicators to apply wax, tire dressing, or protectants.

ACC-LAIT7-46-01
ACC-LABK7-46-01
(Qty. 12*)



Micro-Fiber Polishing Mitt

Features short-pile, micro-fiber strands for polishing and soaking up water and soap.

ACC-LAIT1-06-01
ACC-LABK1-06-01
(Qty. 6*)



*Dealer order pack quantities shown - available individually from your dealer.



Gauze Filter Oil & Cleaner

Specially designed blue-dyed oil and uniquely formulated cleaning solution especially for use with GYTR® high flow gauze type air filters.

8 oz. Spray Bottle (Qty. 12*)

Filter Oil ACC-FLTER-LU-CS

Cleaner ACC-FLTER-CN-CS



Stor-Rite Engine Fogging Oil

Lubricates and protects internal engine components such as pistons and cylinder walls and valves from moisture, salt water and combustion acids for up to one year of storage. Critical for proper winterization and extended storage periods.

12 oz. Can (Qty. 12*)

ACC-STORE-RI-TE



EFI Engine Storage Fogging Oil

Equally distributes fogging oil to cylinders in EFI engines with single-throttle bodies and in all two and four stroke gasoline engines. Protects pistons, cylinder walls and valves from moisture, salt water and combustion acids for up to one year of storage.

1 Quart Bottle (Qty. 6*)

ACC-STORR-IT-32



Foam Air Filter Oil Helps protect against dirt, dust and water and helps to lengthen engine life. Use only with foam air filters treated with this oil, or with any other mineral-based foam filter oil.

1 pt. Bottle (Qty. 12*)

ACC-FOAMF-LT-ER

External Engine Cleaner & Degreaser

Powerful engine degreaser and engine cleaner powers off grease, mud and grime. Safe on most rubber, plastic and painted metal surfaces.

12 oz. Can (Qty. 12*)

ACC-ENGCL-NR-00



NEW! Air Filter Cleaner

Cleans foam and fabric air filters that have been treated with petroleum-based oil or Yamalube Foam Filter oil.

1 Gallon (Qty. 4*)

ACC-FOAMF-CL-GL



Combustion Chamber Cleaner

Use to remove carbon and other contaminants from cylinders, pistons, rings and valves. A great inclusion into your seasonal maintenance. Clean engines last longer.

13 oz. Can (Qty. 12*)

ACC-CMBSN-CL-NR



Brake & Contact Cleaner

Use this product to clean off brake dust from critical brake components and quickly clean parts leaving them residue free. (May harm plastics and decals.)

12 oz. Can (Qty. 12*)

ACC-BRKCT-12-00



Biodegradable Foam Air Filter Oil & Cleaner Kit

This kit contains dirt-grabbing, water resistant, super-tacky filter oil and a non-alcohol-based heavy-duty, concentrated, detergent specifically developed to clean foam air filters treated with this oil. Yamalube Biodegradable Air Filter Oil can only be washed out with Yamalube Biodegradable Foam Air Filter Cleaner and water. It won't wash out with gasoline, solvents or water alone.

2 - 16 oz. Bottles (Qty. 12*)

ACC-BIFMF-LT-KT

Biodegradable Foam Air Filter Oil

A dirt-grabbing, water resistant, super-tacky filter oil that can only be washed out with Yamalube Biodegradable Foam Air Filter Cleaner and water. Won't wash out with gasoline, solvents or water alone.

16 oz. Bottle (Qty. 12*)

ACC-BIFMF-LT-OL

Battery Terminal Cleaner & Protector

This strong water-based cleaner with acid-alkali indicator removes corrosive build-up on battery terminal posts to help increase power output and extend battery life. Simply rinses off with water and leaves terminals coated with a residual protective film.

13 oz. Can (Qty. 12*)

ACC-BATTC-LN-PR



Sticker-OFF!™

This product removes tough-to-get-off residues, particularly the ones left by sticker adhesives.

2 oz. Bottle (Qty. 6*)

ACC-STICK-OF-11



Sticker-ON!™

Decals are easy to apply with Sticker-On™ application spray. Sticker-On™ lets you position decals before they permanently adhere to the surface of the unit. Dries quickly, too.

2 oz. Spray Bottle (Qty. 6*)

ACC-STICK-ON-11



Carburetor Cleaner Dip

Use this concentrated solution with water as a dip for cleaning metal that has been varnished by old gasoline. Also removes dirt, grime and gum.

1 Quart Bottle (Qty. 12*)

ACC-CARBC-LE-NR

*Dealer order pack quantities shown - available individually from your dealer.



Yamashield™

Creates a non-conductive shield on surfaces that are exposed to the elements, and provides extreme rust and corrosion protection, preserving metal components and electrical connections from the moisture that comes with a harsh marine environment.
 (Replaces Boeshield T-9™ Protectant and Lubricant ACC-T9SPR-AV-00)
12 oz. Can (Qty. 12*)
ACC-YAMSH-LD-00



LubezAll™

This popular lube is back and completely reformulated. Now an aerosol, synthetic grease with PTFE, this high-quality, non-building formula is great for lubricating control cables.
11 oz. Can (Qty. 12*)
ACC-LUBZA-LL-00



Off-Road Chain Lube

This fly-off-resistant formula features the best proprietary mixture of moly, PTFE and wax, for superior off-road protection and water and corrosion resistance.
12 oz. Can (Qty. 12*)
ACC-CHAIN-OF-AA



On-Road Chain Lube

This white graphite formula features a strong corrosion resistance package and provides the best lubricity and friction reduction to help extend the life of chains and sprockets.
12 oz. Can (Qty. 12*)
ACC-CHAIN-ON-AA

Yamacool® Yamaha's specially formulated antifreeze is a 60/40 ratio coolant/water mixture. Pre-blended and ready to use.
1 Quart Bottle (Qty. 12*)
ACC-YAMAC-L6-W4



Silicone Protectant & Lubricant Very effective in a marine environment, this general-purpose lubricant helps to protect metals against rust and corrosion. Also conditions and protects neoprene, rubber and other surfaces from environmental effects.
10.5 oz. Can (Qty. 12*)
ACC-SLCNS-PR-AY

Fuel Tank Rust Remover & Neutralizer Kit Removes and neutralizes rust from inside metal fuel tanks. Save money by not having to replace a rusted fuel tank.
2 - 16 oz. Bottles (Qty. 6*)
ACC-FUELT-CD-00



Multi-Purpose Quart Pump
 Universal style quart-size container pump. Fits standard oil containers with a 1-1/8" neck. A marine lower unit fitting and all-purpose fitting are also included.
ACC-PUMPO-00-QT



HT Moto 15 Liter Oil Extractor Make changing the oil on your four stroke personal watercraft, snowmobile, ATV, boat, lawn mower, etc. clean and hassle-free. Holds up to 15 liters in this sturdy portable container. Pump included.
15 liter Container
SBT-15LEX-TR-10
6 liter Container
SBT-OILEX-TR-CT

Multi-Purpose Gallon Pump
 Universal style gallon-size container pump. Fits standard oil containers with a 1-1/2" neck. A marine lower unit fitting and all-purpose fitting are also included.
ACC-PUMPO-02-GL



5-Gallon Pail Pump Use with 5-gallon pails of lube. Comes with special marine lower unit fitting and an all-purpose fitting for filling gearcases.
LUB-PUMPO-05-GL



Manual 55-Gallon Drum Pump Use with 55-gallon drums of Yamalube.
ACC-11000-39-99



Ratio Rite® Provides measures for 16:1-50:1 mixtures, and cc./oz./pt. for fills.
ABA-RATIO-RI-TE

Flexible Oil Spout
 This flexible, easy-pour spout helps with pouring engine oil from 1 gallon, 2.5 gallon and engine oil quart containers.
ACC-SPOUT-GA-LN

*Dealer order pack quantities shown - available individually from your dealer.



Slime® Tire Sealant**

Features Fibro-Seal Technology and a viscous transportation system to seek out and tightly pack itself into punctures up to 1/4" or 6mm, preventing and repairing flats with a flexible, long-lasting plug.

Note: Formulated and tested for use in all pneumatic tires, but not recommended for those mounted on chrome wheels.

8 oz. Bottle (Qty. 6*) ACC-SLIM0-10-01
32 oz. Bottle (Qty. 6*) ACC-SLIM9-00-01



Sport Digital Tire Gauge
 Minimize tread wear, increase gas mileage and improve handling by maintaining proper pressure in your tires with this LED-lit gauge with backlit digital display. Features auto shut off, reset button, ergonomic rubberized grip and low-to-high PSI, KPA and BAR.
ACC-SLIM7-10-02
 (Qty. 4*)



Digital LED-Lit Tire Gauge
 Set and remember your PSI from 5-100 on this tire gauge that features a 90-second auto shut-off, visor clip, reset button and easy-to-read LED display.
ACC-SLIMA-22-05
 (Qty. 6*)



Power Spair™ Flat Tire Repair Kit** Kit couples Slime® Tire Sealant with a powerful air compressor to repair and fully inflate punctured tires on cars, boats, trailers, ATVs, wheelbarrows, mowers and more. 48-piece kit includes: 24 oz. Slime® Tire Sealant, Heavy-Duty 12-volt tire inflator with light and gauge; 16' coiled air hose; adapter for inflatables; rugged storage case; 10-piece tire tackle kit containing: valve cores, key valve core removal tool and valve caps; 30 black plugs; T-handle reamer and plugger; tire gauge; alligator clips and Slime® decal set.
ACC-SLIM4-00-07
 (Qty. 2*)

**Slime® is not intended for use in tires losing pressure from sidewall punctures, bead leaks, damaged rims, or faulty valves. For street motorcycles, Slime® is recommended only for temporary flat tire repair; the tire should be permanently repaired or replaced as soon as possible (not more than 500 miles) or immediately if vibration occurs.



The YFZ450R is recommended for use only by riders age 16 years and older.



Power Sport Tire Inflator Repair Kit**

Repair flat tires in 15 minutes or less on motorcycles, scooters, ATVs, and more. Kit includes: 12-volt 300 psi air compressor, 8 oz. Slime® Tire Sealant bottle, rugged carrying case - 7.5"H x 7.75"W x 2.75"D, 8' main harness power cord, 18" power connection with fuse, alligator clips, 14" power connection with fuse, lighter adapter, direct pre-wire, 18" air hose with quick-clip, tire pressure pencil gauge 10-50 psi and instructions.

Compressor Measurements: 4.75"H x 3.875"W x 2"D
 Kit Weight: 2.6 lb. (approx.)

ACC-SLIM1-00-05 (Qty. 3*)



Mini-Magnetic Dial Tire Pressure Gauge Maintain proper pressure in your tires with this handy, user-friendly magnetic gauge. Features shock-proof gauge housing.
ACC-SLIM5-40-02
 (Qty. 8*)



Low-Pressure Tire Gauge Maintain proper pressure in your ATV tires with this easy-to-use gauge. Includes four standard black valve caps.
ACC-SLIMA-11-01
 (Qty. 6*)



Tire Plug Kit User-friendly, 6-piece kit includes: 0.41 oz. rubber cement tube, three extra-strong tire repair strings, tire plugger and tire reamer.
 Note: will not work on sidewall punctures.
ACC-SLIM2-30-12
 (Qty. 6*)



Plug Pack with Rubber Cement User-friendly, 6-piece kit includes: 0.41 oz. rubber cement tube and five plug strings.
ACC-SLIMA-43-02
 (Qty. 6*)



Tire Plug Kit Car & Truck User-friendly, 8-piece kit includes: 0.41 oz. rubber cement tube, five plug strings, T-handle tire plugger and T-handle tire reamer.
 Note: will not work on sidewall punctures.
ACC-SLIMA-43-01
 (Qty. 6*)

*Dealer order pack quantities shown - available individually from your dealer.




NEW! Fuel Med RX

This proprietary, alcohol-free blend fights moisture, oxidation and phase separation in ethanol-enriched fuels, and protects fuel system metals. Use continuous treat rate if in-season fuel will sit in a tank for 7-plus days. The storage treat rate keeps fuel fresh for up to one year.
16 oz. Bottle (Qty. 12*) ACC-FUELM-RX-16
 Chambered bottle for easy measuring.



NEW! Fuel Med RX - 3.2 oz.

Get all the benefits of Fuel Med RX in a road-ready package. Our new, 3.2 oz. travel size treats 5 gallons of gas. Treat, toss and take off. Not to be used for long-term fuel storage.
3.2 oz. Bottle (Qty. 48*) ACC-FUELM-RX-O4



NEW! Fuel Med RX - 1 Gallon
 Perfect for treating larger fuel containers, such as those used for boats.
1 Gallon (Qty. 4*) ACC-FUELM-RX-GL

Meet the new ethanol defense team.

Rising percentages of ethanol in fuel require engines to have even stronger corrosion protection. Together, Fuel Med RX and Engine Med RX fight fuel system corrosion, improve performance and extend the life of your Yamaha.

What's good for the environment can be bad for your engine.

Adding ethanol to fuel makes it burn more efficiently, which reduces emissions such as carbon monoxide. In fact, ethanol-enriched fuels have been so effective at improving air quality that the level of ethanol is on the rise. While that's great news for the environment, it's bad news for engines. Here's why:

Ethanol attracts water. Over time, it can bond to moisture, separate from fuel and drop to the bottom of a tank. This is called phase separation and it causes several problems. First, it can force your engine to try to run on water—not good. Second, ethanol boosts fuel octane by about two points; so when it drops out, your fuel can fall below the recommended octane. This leads to hard starts, poor acceleration and loss of power.

Ethanol acts as a solvent, loosening rust and debris—not only in your fuel system, but also in gas station fuel distribution systems. To avoid pumping your gas tank full of filter-clogging, engine-bogging debris, buy your gas where they sell a lot of it. The longer gas sits at a station, the greater the chance of it having debris in it.

Ethanol can wreak havoc on fuel system components. First, it contains sulfate salts that corrode fuel system metals. Second, its solvent properties can cause hoses and gaskets in older model engines to shrink or become brittle over time.

Fuel Med RX It's best to use it every time you fill up to prevent phase separation and moisture damage, dissolve gum and varnish in your carburetion system, and extend spark plug life. When used at the continuous treat rate, it also prevents sulfate salt corrosion on fuel system metals such as steel and aluminum. It's also important to treat gas that will sit for more than 7 days. When added to stored fuel, it will keep it fresh and potent for up to one year.

Engine Med RX Keep your engine clean and running efficiently by adding this every time you fill up. It minimizes carbon deposits that can build up in a combustion chamber and internal engine parts, cause your piston rings to stick, and result in poor performance and costly repairs. It also protects fuel system metals such as silver solder, copper, aluminum and steel from ethanol sulfate salt corrosion.

*Dealer order pack quantities shown - available individually from your dealer.
 ** Test results obtained from previous generation products that contain the same type of corrosion inhibitors as products noted. Engine Med RX and Fuel Med RX have higher levels of the same type of corrosion inhibitors found in previous generation products tested.

New Formulations for Higher Ethanol-Enriched Fuels

Yamalube has used different American Society for Testing and Materials (ASTM®) tests that simulate the harshest corrosion environments related to ethanol-enriched fuels and their negative effects on fuel system components.

TEST 1: Steel rods submerged in an oil bath with a high dose of synthetic salts.
 Test results from Spectrum Corporation.



Treated with corrosion inhibitors found in Fuel Med RX** Clean and Rust-Free



Treated with competitor's fuel stabilizer Rust



Treated with competitor's enzyme stabilizer Extreme Rust

TEST 2: Silver and copper submersion in commercial-grade, ethanol-enriched fuel.
 Photos printed with the permission of Chevron Oronite Company



Treated with corrosion inhibitors found in Engine Med RX** Clean and Corrosion-Free



Untreated Corroded

TEST 3: Silver and copper exposed to vapors of commercial-grade, ethanol-enriched fuel.
 Photos printed with the permission of Chevron Oronite Company



Treated with corrosion inhibitors found in Engine Med RX** Clean and Corrosion-Free



Untreated Corroded



NEW! Engine Med RX

Provides superior carbon deposit control, cleaning injectors, carburetors, intake valves and ports, and combustion chambers. It also protects fuel system metals from ethanol sulfate salt corrosion. Add it at every fill up to avoid unnecessary engine repairs due to poor quality gas, and to keep your engine clean and running efficiently.
16 oz. Bottle (Qty. 12*) ACC-ENGIN-RX-16
 Chambered bottle for easy measuring.



NEW! Engine Med RX - 3.2 oz.

Take all the benefits listed above along for the ride with a convenient, travel size. Our new, 3.2 oz. size treats 5 gallons of gas. Just treat, toss and take off.
3.2 oz. Bottle (Qty. 48*) ACC-ENGIN-RX-O4



Meet the ethanol defense team.

Protect your investment from harsh marine environments and the effects of ethanol-enriched fuels with Yamalube fuel additives. Ring Free PLUS and Fuel Stabilizer & Conditioner PLUS fight fuel system corrosion, phase separation and fuel oxidation. This improves performance and extends the life of your Yamaha.

Though it may be new to you, Ring Free has actually been around for more than 20 years. Originally developed to decarbonize engines, we reformulated it in the late 2000s to also fight ethanol sulfate salt corrosion. To reflect this added benefit, it was renamed Ring Free PLUS, and it's been keeping engines clean and running efficiently ever since. As fuels continue to evolve, so too will Yamalube fuel additives, to provide the protection your engine and fuel system demand.

Fuel Stabilizer & Conditioner PLUS

Our alcohol-free formula fights moisture, preventing oxidation and phase separation in ethanol-enriched fuels. Metal filmers also protect steel and aluminum components. Used continuously, it keeps fuel fresh and free of gum and varnish for up to one year of storage.
12 oz. Bottle (Qty. 12*)
ACC-FSTAB-PL-12



Fuel Stabilizer & Conditioner PLUS

Helps resist phase separation, deters ethanol corrosion and keeps stored fuel fresh.
32 oz. Bottle (Qty. 6*)
ACC-FSTAB-PL-32



Ring Free PLUS Provides superior deposit control, cleaning fuel injectors, carburetors, intake valves, intake ports and combustion chambers. It also protects fuel system metals from ethanol sulfate salt corrosion.
12 oz. Bottle (Qty. 12*)
ACC-RNGFR-PL-12

Ring Free PLUS Removes carbon and protects fuel system metals from ethanol fuel corrosion.
32 oz. Bottle (Qty. 6*)
ACC-RNGFR-PL32

Suspension Oil



Öhlins® RT-43 Fork Oil
 For use in high-performance front forks of Limited Edition R1 LE and some sport motorcycles.
1 liter Bottle (Qty. 4*)
ACC-RT43F-00-00

Performance Fork Oil SAE 5 For high-performance suspensions. These fork oils provide excellent viscosity and fluid movement.
16 oz. Bottle (Qty. 12*)
5 Weight ACC-FORKF-00-05



Performance Fork Oil SAE 7.5 For high-performance suspensions. These fork oils provide excellent viscosity and fluid movement.
16 oz. Bottle (Qty. 12*)
7.5 Weight ACC-FORKF-00-75

Performance Fork Oil SAE 10 For high-performance suspensions. These fork oils provide excellent viscosity and fluid movement.
16 oz. Bottle (Qty. 12*)
10 Weight ACC-FORKF-00-10



Performance Fork Oil SAE 15 For high-performance suspensions. These fork oils provide excellent viscosity and fluid movement.
16 oz. Bottle (Qty. 12*)
15 Weight ACC-FORKF-00-15

Performance Fork Oil SAE 20 For high-performance suspensions. These fork oils provide excellent viscosity and fluid movement.
16 oz. Bottle (Qty. 12*)
20 Weight ACC-FORKF-00-20

Fine-tune the suspension firing to your liking with our variety of high-grade fork and suspension oils. Consult Owner's Manual for proper fork oil selection.
 *Dealer order pack quantities shown - available individually from your dealer.



M1 Suspension Oil

Ultra-high-performance cartridge fork oil formulated for today's demanding suspension systems. 2006 and newer street products.
1 liter Can
0 Weight 90793-38029-00



S1 Suspension Oil Excellent anti-foam characteristics make this the only oil the factory recommends for 2005 and later model YZ125-250, 250F-450F, and WR250F-450F.
1 liter Can
0 Weight 90793-38028-00

O1 Suspension Oil Designed to provide the optimal flow rate in Yamaha suspensions on '98 through '04 YZ and WR models, as well as high-performance street models such as YZF-R1, YZF-R6, FZ1, FZ6, and FJR1300.
1 liter Can
0 Weight 90793-38005-00





Yamabond® 4 Motorsport

A silicone-based liquid gasket that fills gaps on a flange surface and prevents leaks. (Product should be used where Threebond 1215 is specified in the service manual.)

3 oz. Tube
ACC-BOND4-MC-00



Yamabond® 4 Marine

This silicone-based liquid gasket fills gaps to prevent leaks. Pressure and oil resistant. Product should be used where Threebond 1280B is specified in the service manual.

3 oz. Tube
ACC-BOND4-MA-00



Yamabond® 5 Coat mechanical joints with this liquid gasket before assembly to prevent leaks.
2.5 oz. Tube
ACC-YAMAB-ON-D5

Yamabond® 6B Has high viscosity and excellent swelling, and works effectively for joint surfaces that have a larger clearance.
3.5 oz. Tube
ACC-YAMAB-ND-6B



Yamabond® 1386 Used for camshaft caps on four stroke outboard engines.
15 ml Bottle
ACC-YAMBD-13-86



Yamabond® 7 High-strength, synthetic rubber adhesive formulated for grips, throttle pipes and lever handles, without damaging rubber.
10 gram Tube
ACC-YAMAB-ON-D7

Yamabond® 14 Yamabond 14 is a solvent-based thread lock. Vibration- and impact-resistant, it locks screws, bolts and threaded fasteners. Works great with plastic and metal.
200 grams
ACC-YAMAB-ON-14



Loctite® Quickstix™ 561™ PST® Sealant 19 gm A single-component, high-viscosity, low-strength, acrylic thread-locking adhesive. (Can use in place of Loctite® 567™ PST Sealant.)
ACC-QKSTX-56-10

Loctite® Quickstix™ 7088™ Primer 17 gm A solvent-based primer that features very long on-part life. Use to speed the cure of all Loctite® Anaerobic Products and ensure proper cure on inactive metals. (Can use in place of Primer N 7649 by Loctite®.)
ACC-QKSTX-70-88

Loctite® Quickstix™ 248™ MD Strength Threadlocker 9 gm Medium strength anaerobic thread-locking material. (Can use in place of Loctite® 242™ Threadlocker.)
ACC-QKSTX-24-80



Professional rider with advanced skill depicted on a closed course.



Loctite® Quickstix™ 268™ HI Strength Threadlocker 9 gm High strength anaerobic, thixotropic, thread-locking material. (Can use in place of Loctite® 271™ Threadlocker.)
ACC-QKSTX-26-80

Loctite® Quickstix™ 668™ Retaining Compound 19 gm Extreme application anaerobic retaining adhesive. (Can use in place of Loctite® 648™ Threadlocker. Product should be used where Threebond 1377B is specified in the service manual.)
ACC-QKSTX-66-80

Loctite® Gasket Maker™ A non-corrosive, anaerobic sealer designed primarily for use on aluminum, iron and steel flanged mating surfaces. (S518)
50 ml Tube
90790-74001-00

**WE'VE MASTERED LAND AND WATER.
NOW, WE'RE TAKING THE PERFORMANCE ONLINE.**

The brand behind every reliable engine is now online. Visit Yamalube.com for vehicle-by-vehicle product recommendations, maintenance tips from the experts, the latest product releases, vehicle videos and more.

Yamalube.com



▪ Yamaha Motor Corporation, U.S.A. ▪ 6555 Katella Avenue ▪ Cypress, CA 90630 ▪

For a dealer near you, call 1-800-88-YAMAHA
Check us out on the web at Yamalube.com

LIT-10080-LC-12



Prices may vary due to supply, freight, etc. Actual prices set by the dealer. Product and specifications subject to change without notice. Availability subject to production, stocking, and demand.

ATVs with engines of 70cc to 90cc are recommended for use only by riders age 12 years and older, and always with adult supervision. ATVs over 90cc are recommended for use only by riders age 16 years and older. Yamaha recommends that all ATV riders take an approved training course. For safety and training information, see your dealer or call the ATV Safety Institute at 1-800-887-2887. ATVs can be hazardous to operate. For your safety: Always avoid paved surfaces. Never ride on public roads. Always wear a helmet, eye protection and protective clothing. Never carry passengers. Never engage in stunt riding. Riding and alcohol/drugs don't mix. Avoid excessive speed. And be particularly careful on difficult terrain. There are few joys in life equal to the free-spirited thrill and experience of ATV riding. And that's why it's important for all of us to do our part as responsible riders. By following logical, common-sense rules, we can maintain season after season of unparalleled enjoyment of our sport. Please remember to "tread lightly." Always ride in a responsible manner, respecting the environment as well as all state and local laws. The riders in this catalog are professionals, don't attempt to emulate them.

Remember to always observe all applicable boating laws. Never drink and drive. Dress properly with a USCG-approved personal flotation device and protective gear.

This document contains many of the valuable trademarks and service marks owned and used by Yamaha throughout the world. The document may also contain references to other company, brand, and product names that may be the trademarks/service marks of their respective owners. These company, brand, and product names are used herein for identification purposes only, and references to any names, marks, products or services of third parties do not constitute or imply endorsement, sponsorship or recommendation of the third party or the products or services.